

**FY25 CTP REPLACEMENT CAPITAL
20 FT. LIGHT TRANSIT VEHICLE (LTV) ORDER FORM
COACH & EQUIPMENT COMPOSITE BODY**

Send to: Interstate Transportation Sales & Service, Inc.
1321 W. Fairfield Rd, Ste 109
High Point, N.C. 27263
336-803-3111

FAX: 336-431-6114

ATTN: Ken McDowell

email: krmcdowell@northstate.net

Re: NCDOT Agency Specific Contract 54-SG-05062022
N.C. Department of Transportation/Integrated Mobility Division

P.O. No.:

Project No. (Example 25-CT-00): **25-CT-049**

Order Date:

(date order placed with vendor)

From:

Guilford County Transportation and Mobility Services

(grant applicant/recipient)

Contact: **Irma Zimmerman, Transit Manager**

e-mail: izimmer@guilfordcountync.gov

(336) 641-3515

(phone number)

(336) 641-3704

(FAX number)

SEON

(Which model security camera system are you using?)

VEHICLE ORDER

Base vehicle price:

Quantity	Diagram #	Description	Base Unit Cost	Total Cost
0	A-1	NO LIFT - 13 Passenger Plan	\$ 97,331.18	\$ -
5	A-2	Lift - 2 rear wc station-plan	\$ 105,714.57	\$ 528,572.85
Options-Itemized				SUBTOTAL OF BASIC LTVs \$ 528,572.85
5	1	Lettering	\$ 425.00	\$ 2,125.00
5	2	Logo -labor only.	\$ 145.00 ea./logo	\$ 725.00
10	3	Auxiliary Round Red Brake Lights	\$ 547.31	\$ 5,473.10
5	4	Auxiliary Amber Strobe at Rear Door	\$ 557.20	\$ 2,786.00
0	6	Diamond Donation Farebox, sm 8"x8"x8"	\$ 650.00	\$ -
0	7	Passenger touch tape stop request	\$ 1,268.82	\$ -
0	8	Panasonic P.A. System w/ AM/FM/CD	\$ 770.00	\$ -
0	9	Telma Brake Retarder	\$ 12,278.00 *	\$ -
Other Options (those over budget are at local cost only)				SUBTOTAL w/ PARTICIPATING OPTIONS \$ 539,681.95
0	10		\$ -	\$ -
0	11		\$ -	\$ -
0	12		\$ -	\$ -
0	13		\$ -	\$ -
0	14		\$ -	\$ -
GRAND TOTAL				\$ 539,681.95

*available to systems in the mountain areas; must have enough in budget to cover cost

** you must have budgeted for this in your application to order this item.

EXTERIOR COLOR: The basic body of the Coach & Equipment Phoenix is white.

INTERIOR SEATING SELECTION:

CODE:

*Seat coverings are listed after options on page 4

Lettering information:

(System Name & Phone No.)

Color and Style of 6" lettering:

Striping/Tu-Tone information:

Striping (1 code):

Tu-Tone (2 codes):

#1:

#2:

Vehicle to be titled to:

Terms: Payment to vendor must be made within 30 days of acceptance of vehicle (sign off on insp. form).

**20 FT. LTV - COMPOSITE BODY
SPECIFICATION AND PRICING INFORMATION**

Chassis:

2026 Ford E-350 cutaway chassis with 7.3L, V-8 gasoline engine; 11,500 lb. GVWR; 96" overall width; 113" overall height; 260" length; 138" wheelbase; 4,600 lbs. front axle/ 7,800 lbs. rear axle/ 4:56 rear axle ratio; heavy duty shock absorbers; front coil and rear leaf springs; MOR/Ryde Suspension installed on rear axle; 6-speed automatic overdrive transmission; transmission oil cooler; radiator coolant recovery kit; 33 gallon fuel tank; trap door access to fuel tank; 2 drive shaft guards; hydraulic front disc and drum rear brakes; seven (7) LT225/75R16E all season 10 ply, radial tires with rims; spare tire is wrapped & shipped flat in vehicle; 12 volt heavy duty electrical system; dual batteries, 1300 CCA total; 225 amp OEM alternator; InterMotive fast idle; back-up alarm; two-way radio provision; all wiring is insulated, color, number, and function coded wiring; pre-wiring locations for 4-camera surveillance system w/o wiring are installed (ple LED lighting except for OEM chassis lights; reverse alarm assistance system; and HELP type bumpers.

Body:

Coach & Equipment Phoenix has steel exterior panels with a full steel roll cage; 3/4" marine grade floor with Altro transit flooring, color-keyed covering with white center aisle and yellow nosing on entry steps; electric automatic, full view two-panel, passenger entry door; emergency full vision rear exit door; passenger transit type windows with dark tinted glass; 2 emergency windows; rustproofing; SMI/Transpec 1075 roof ventilator/emergency exit; remote 15"x 8" exterior heated mirrors with convex; driver's side step w/grab bar; Freedman Featherweight, Mid-back passenger seating with Freedman USR 60" passenger restraint belts; 2-24" seat belt extenders; OEM high-back driver's seat with power pedestal and 3 pt. restraint; locked storage area above driver (unless destination sign is purchased); appropriate instruments, gauges, and controls; back-up camera; 12" x 6" driver's mirror; tilt steering and cruise control; inside hood release; OEM front (driver's area) heating and air conditioning; rear heater, 65,000 BTU's and rear a/c, 53,000 BTU's; stainless steel stanchions and grab bars; oxygen tank brackets; 5 lb. fire extinguisher; 24-unit first-aid kit; emergency window hammer/web cutter; warning reflectors, and roof top mounted strobe light.

Wheelchair lift (meets all requirements of the American with Disabilities Act and the FMVSS):

Braun Century NCL1000(F)IB3454HB-2, fully automatic side mounted wheelchair lift; lift platform is 34"x 54"; minimum of 2 wheelchair stations offered; Q'Straint QRT-360 4-point wheelchair tie-down system and 3-point passenger restraint systems; six Q'Straint Quick straps; and backup manual over-ride system. A handrail restraint (belt) between the two handrails will be provided for extra security for passengers.

Warranty:

Chassis - 3 years/36,000 mile Bumper to Bumper Warranty (Ford)
Power Train - 5 years/60,000 miles (Ford)
Chassis Corrosion warranty - 5 years/ unlimited miles (Ford)
Body Conversion warranty - 3 years/36,000 miles (Coach & Equipment)
Body Structure warranty - 5 years/75,000 miles (Coach & Equipment)
Air Conditioning (add on unit) - 24 months (ProAir ACT System)
Tire Warranty - 50,000 miles
Wheelchair lift - 5 years Limited Warranty (Braun)

DELIVERY: Approximately 120 days from receipt of chassis

TERMS: Payment to vendor must be made within 30 days of acceptance of vehicle (sign off on inspect. form).

**FY25 CTP REPLACEMENT CAPITAL
20 FT. LIGHT TRANSIT VEHICLE (LTV) ORDER FORM**

STARTRANS COMPOSITE BODY

Send to: Model 1 Commercial Vehicles
2529 Oneida Rd
Charlotte, NC 28269
615-618-5370

FAX: 909-465-5529

ATTN: Chris Yarber

email:

cvarber@creativebussales.com

Re: NCDOT Agency Specific Contract 54-SG-05062022
N.C. Department of Transportation/Integrated Mobility Division

P.O. No.:

Project No. (Example 25-CT-00): **25-CT-049**

Order Date:
(date order placed with vendor)

From: **Guilford County Transportation and Mobility Services**
(grant applicant/recipient)

Contact: **Irma Zimmerman**

e-mail: izimmer@guilfordcountync.gov

(336) 641-3515

(phone number)

(336) 641-3704

(FAX number)

SEON

(Which model security camera system are you using?)

VEHICLE ORDER

Base vehicle price:

Quantity	Item no.	Description	Base Unit Cost	Total Cost
0	A-1	NO LIFT - 13 Passenger Plan	\$ 103,510.61	\$ -
5	A-2	Lift - 2 rear wc station-plan A2	\$ 111,734.61	\$ 558,673.05
Options-Itemized				SUBTOTAL OF BASIC LTVs \$ 558,673.05
5	1	Lettering	\$ 350.00	\$ 1,750.00
5	2	Logo -labor only.	\$ 150.00 ea./logo	\$ 750.00
10	3	Auxiliary Round Red Brake Lights	\$ 390.00	\$ 3,900.00
5	4	Auxiliary Amber Strobe at Rear Door	\$ 390.00	\$ 1,950.00
0	6	Diamond Donation Farebox, sm.8"x8"x8"	\$ 880.00	\$ -
0	7	Transign destination sign - electronic	\$ 2,620.00	\$ -
0	8	Passenger touch tape stop request	\$ 1,425.00	\$ -
0	9	REI Transit P.A. System	\$ 550.00	\$ -
0	10	Bike Rack (stainless steel)	\$ 4,685.00 *	\$ -
0	11	Telma Brake Retarder	N/A	\$ -
0	12	Add'l Emergency Window Exits (up to 3)	\$ 200.00 ea.	\$ -
Other Options (those over budget are at local cost only)				SUBTOTAL w/ PARTICIPATING OPTIONS \$ 567,023.05
0	13		\$ -	\$ -
0	14		\$ -	\$ -
0	15		\$ -	\$ -
0	16		\$ -	\$ -
0	17		\$ -	\$ -
GRAND TOTAL				\$ 567,023.05

* you must have budgeted for this in your application to order this item.

EXTERIOR COLOR: The basic body of the Startrans - Primetime is white.

INTERIOR SEATING SELECTION: CODE:

*Seat coverings are listed after options on page 4

Lettering information:
(System Name & Phone No.)

Color and Style of 6" lettering:

Striping/Tu-Tone information: Striping (1 code): Tu-Tone (2 codes): #1: #2:

Vehicle to be titled to:

Terms: Payment to vendor must be made within 30 days of acceptance of vehicle (sign off on insp. form).

**20 FT. LTV - METAL BODY
SPECIFICATION AND PRICING INFORMATION**

Chassis:

2026 Ford E-350 cutaway chassis with 7.3L, V-8 gas engine; 11,500 lb. GVWR; 84" overall width; 114" overall height; 259" length; 138" wheelbase; 4,600 lbs. front axle/ 8,500 lbs. rear axle/ 4:10 rear axle ratio; heavy duty shock absorbers; front coil and rear leaf springs; Sumo Springs Suspension installed on rear axle; 6-speed automatic overdrive transmission; transmission oil cooler; radiator coolant recovery kit; 40 gallon fuel tank; trap door access to fuel tank; 2 drive shaft guards; hydraulic front disc and drum rear brakes; seven (7) LT225/75R16E all season 10 ply, radial tires with rims; spare tire is wrapped & shipped flat in vehicle; 12 volt heavy duty electrical system; dual batteries, 1500 CCA total; 225 amp OEM alternator; InterMotive fast idle; back-up alarm; two-way radio provision; all wiring is insulated, color, number, and function coded wiring; pre-wiring locations for 4-camera surveillance system w/o wiring are installed (ple LED lighting except for OEM chassis lights; reverse alarm assistance system; and HELP type bumpers.

Body:

STARTRANS CANDIDATE II has steel exterior panels with a full steel roll cage; 3/4" marine grade floor with Altro transit flooring, color-keyed covering with white center aisle and yellow nosing on entry steps; electric automatic, full view two-panel, passenger entry door; emergency full vision rear exit door; passenger transit type windows with dark tinted glass; 2 emergency windows; rustproofing; SMI/Transpec 1075 roof ventilator/emergency exit; remote 15"x 8" exterior heated mirrors with convex; driver's side step w/grab bar; Freedman Featherweight, Mid-back passenger seating with Freedman USR 60" passenger restraint belts; 2-24" seat belt extenders; OEM high-back driver's seat with power pedestal and 3 pt. restraint; locked storage area above driver (unless destination sign is purchased); appropriate instruments, gauges, and controls; back-up camera; 12" x 6" driver's mirror; tilt steering and cruise control; inside hood release; OEM front (driver's area) heating and air conditioning; rear heater, 35,000 BTU's and rear a/c, 55,000 BTU's; non-slip coat applied to stanchions and grab bars; oxygen tank brackets; 5 lb. fire extinguisher; 24-unit first-aid kit; emergency window hammer/web cutter; warning reflectors, and roof top mounted strobe light.

Wheelchair lift (meets all requirements of the American with Disabilities Act and the FMVSS):

Braun Century NCL1000(F)IB3454HB-2, fully automatic side mounted wheelchair lift; lift platform is 34"x 54"; minimum of 2 wheelchair stations offered; Q'Straint QRT-360 4-point wheelchair tie-down system and 3-point passenger restraint systems; six Q'Straint Quick straps; and backup manual over-ride system. A handrail restraint (belt) between the two handrails will be provided for extra security for passengers.

Warranty:

Chassis - 3 years/36,000 mile Bumper to Bumper Warranty (Ford/
Power Train - 5 years/60,000 miles (Ford)
Chassis Corrosion warranty - 5 years/ unlimited miles (Ford)
Body Conversion warranty - 5 years/100,000 miles (STARTRANS)
Body Structure warranty - 5 years/100,000 miles (STARTRANS)
Air Conditioning (add on unit) - 24 months (ACC Climate Control, Inc.)
Tire Warranty - 50,000 miles
Wheelchair lift - 5 years Limited Warranty (Braun)

DELIVERY: Approximately 120 days from receipt of chassis

TERMS: Payment to vendor must be made within 30 days of acceptance of vehicle (sign off on inspect. form).