



# Guilford County

## CONTRACT AGREEMENT

| COUNTY   | CONTRACTOR  |
|--|---|
| <p><b>Guilford County</b><br/>           301 West Market Street<br/>           Greensboro, NC 27401</p> <p>Telephone No: 336-641-3852<br/>           Attention: Dasha Brown</p> <p>Contract No: 437<br/>           Parent Contract No: 0</p> | <p><b>STREICHER'S INC</b><br/>           P.O. Box 41398<br/>           Plymouth, MN 55441-0398<br/>           Eric Johnson<br/>           252-2527<br/>           546-6776<br/>           ericj@streichers.com</p> <p>Attention: Eric Johnson</p> |

### HIGHLIGHT INFORMATION

|  |   |
|--|---|
| <p>Contract Purpose: Uniforms for Emergency Services<br/>           Department<br/>           Effective Date: July 1, 2017</p> <p>Contract Type: PRICE ONLY GOODS</p> <p>Contract Amount: 112,390.00</p> | <p>Expiration Date: June 30, 2019</p> <p>Contract Subtype:</p> <p>Event Number:</p> |
|--|---|

### CONTRACT LINES

| Line No | Percent  | Item Description  | Acct Unit | Account | Base Cost    | UOM | Amount      |
|---------|----------|-------------------|-----------|---------|--------------|-----|-------------|
| 1       | 100.000% | Various Uniforms  | 320410    | 52040^0 | \$56,195.000 | EA  | \$56,195.00 |
| 2       | 100.000% | Assorted Uniforms | 320410    | 52040^0 | \$56,195.000 | EA  | \$56,195.00 |

**THIS CONTRACT is hereby made, entered into, and effective as of July 1, 2017, by and between GUILFORD COUNTY, a body politic and corporate of the State of North Carolina, hereinafter referred to as the "COUNTY," and STREICHER'S INC, hereinafter referred to as the "CONTRACTOR," and also collectively referred to as the "Parties."**

### W I T N E S S E T H:

**WHEREAS, for the purpose and subject to the terms and conditions hereinafter set forth, the COUNTY hereby contracts for the items, goods, service or services of the CONTRACTOR and the CONTRACTOR agrees to provide the items, goods, service or services to the COUNTY in accordance with the terms of this Agreement.**

**WHEREAS, the COUNTY is in need of Uniforms for Emergency Services Department and,**

**WHEREAS, the CONTRACTOR has submitted a proposal to provide such goods and/or services.**

**NOW, THEREFORE, in consideration of promises mutually exchanged the Parties agree as follows:**

**1. GOODS AND/OR SERVICES.** CONTRACTOR will provide the goods and/or services as set forth in the Specifications (Attachment A) and Proposal (Attachment B), attached hereto and incorporated herein by reference. All items and/or services shall be provided in a competent, workmanlike and professional manner acceptable to the COUNTY. Should there be any discrepancy between the CONTRACTOR'S Proposal (Attachment B) and the Specifications (Attachment A) and/or the first five (5) pages of this

Contract, the first five (5) pages of this Contract and/or the Specifications (Attachment A) shall prevail and control.

**2. PRICING AND PAYMENT.** As full compensation for the CONTRACTOR'S delivery of the goods and/or services, the COUNTY agrees to pay the amounts for the goods and/or services as set out herein and in Attachment B, which is attached hereto and incorporated herein by reference. Payment will be made by the COUNTY to the CONTRACTOR within thirty (30) days of receipt of a correct invoice and proper documentation that the goods and/or services have been delivered or provided in accordance with this Contract. The COUNTY is not financially committed by this Contract to purchase any minimum amount of goods and/or services. The financial exposure to the COUNTY is not expected to exceed \$112,390.00, and in any event payment will be made only from budgeted funds in accordance with N.C. Gen. Stat. §159.

**3. APPROPRIATION.** This Contract is subject to annual appropriation of funds by the Guilford County Board of Commissioners or other funding source, pursuant to N.C. Gen. Stat. §153A-13.

**4. TERM.** This Contract shall be in effect for two (2) years, beginning July 1, 2017, and ending June 30, 2019, with the option to extend for three (3) additional one (1) year renewals at the same pricing and terms and conditions upon mutual written agreement of both Parties.

**5. ADDENDUM.** The terms of this Agreement may only be modified or revised with a written Contract Agreement executed by both Parties.

**6. TERMINATION.** Either Party may terminate this Agreement for any reason and without penalty upon sixty (60) days written notice to the other Party. All goods and/or services provided and accepted as of the date of termination will be paid for; similarly, amounts paid in advance, if any, for which goods and/or services have not been provided and accepted by the COUNTY will be promptly refunded to the COUNTY by the CONTRACTOR within thirty (30) days of date of termination of this Contract.

**7. NOTICES.** All notices pursuant to this Agreement shall be in writing and delivered personally or mailed by certified mail, registered mail, postage prepaid, with return receipt requested, at the addresses appearing below, but each Party may change such address by written notice in accordance with this paragraph. Notices delivered personally will be deemed communicated as of actual receipt. Mailed notices will be deemed communicated as of three (3) days after mailing.

Susan Crofts, Guilford County Purchasing Director  
GUILFORD COUNTY  
P.O. Box 3427 (zip code 27402)  
301 West Market Street  
Greensboro, NC 27401

\_\_\_\_\_, President  
Streicher's  
10911 West Highway 55, Plymouth, MN, 55441

**8. INDEPENDENT CONTRACTOR/INDEMNIFICATION.** CONTRACTOR shall operate as an independent CONTRACTOR for all purposes. Nothing in this Agreement shall be interpreted or construed as creating or establishing the relationship of employer and employee between the COUNTY and either the CONTRACTOR or any employee or agent of CONTRACTOR. CONTRACTOR is an independent contractor and not an employee, agent, joint venture or partner of the COUNTY.

The Parties agree to each be solely responsible for their own acts or omissions in the performance of each of their individual duties hereunder, and shall be financially and legally responsible for all liabilities, costs, damages, expenses and attorney fees resulting from, or attributable to any and all of their individual acts or

omissions to the extent allowable by law.

**9. ASSUMPTION.** If CONTRACTOR should undergo merger, acquisition, bankruptcy or any change in their ownership or their name for any reason, CONTRACTOR must immediately notify GUILFORD COUNTY in writing of these changes and provide the COUNTY with legal documentation supporting these changes, such as an Assumption Agreement, Bill of Sale, Articles of Incorporation, Articles of Amendment, sales contract, merger documents, etc. Further, CONTRACTOR will submit the name and address of the assuming CONTRACTOR'S registered agent for service of process and/or all notices required under this Contract.

**10. SEVERABILITY.** If any provision of this Contract is held unenforceable, then such provision will be modified to reflect the Parties' intention. All remaining provisions of this Contract shall remain in full force and effect.

**11. FORCE MAJEURE.** Neither Party shall be liable to the other Party for any failure or delay caused by events beyond such Party's control and not due to its own negligence, provided that such Party uses commercially reasonable efforts to resume performance as soon as reasonably practicable. The non-performing Party shall notify the other Party of the force majeure event within twenty-four (24) hours of the onset thereof. In the event that a force majeure event precludes CONTRACTOR from performing services and/or providing goods for a period of ten (10) consecutive business days, the COUNTY shall have the right to: (a) procure replacement goods and/or services from an alternative source and/or (b) terminate the Contract or portion(s) of Contract upon written notice to CONTRACTOR.

**12. HEADINGS/TITLES/WORDING.** Inclusion of titles of paragraphs or section headings, capitalization of certain words or phrases and/or bold face typestyle of certain words or phrases in this Contract are for convenience purposes only and shall not be used to interpret or construe the provisions of this Agreement. The terms "Contract" and "Agreement" have the same meaning and may be used interchangeably throughout this document. The terms "Attachment" and "Exhibit" have the same meaning and may be used interchangeably throughout this document.

**13. ENTIRE AGREEMENT.** This Contract, including the Exhibits and/or Attachments, if any, sets forth the entire Agreement between the Parties. All prior conversations or writings between the Parties hereto or their representatives are merged within and extinguished. This Contract shall not be modified except by a writing subscribed to by both Parties.

**14. JURISDICTION.** The Parties agree that this Contract is subject to the jurisdiction and laws of the State of North Carolina. The CONTRACTOR will comply with bid restrictions, if any, and applicable laws, including N.C. Gen. Stat. §143-129(j) regarding E-Verify. Any controversies arising out of this Contract shall be governed by and construed in accordance with the laws of the State of North Carolina. An Affidavit Regarding E-Verify is attached hereto and incorporated herein by reference as Exhibit 1.

**15. IRAN DIVESTMENT ACT OF 2015.** Whereas, N.C. Gen.Stat. §147-86.59 requires that a State agency or political subdivision of the State must require persons attempting to contract therewith, including contract renewals or assumptions, to certify that the persons or the assignees are not identified on the list created by State Treasurer pursuant to N.C. Gen. Stat. §147-86.58. Effective as of the date of this Contract, and in accordance with N.C. Gen. Stat. §147, Article 6E entitled "Iran Divestment Act," each Party hereby certifies that it is not identified on the Final Divestment List created by the State Treasurer, which list of persons the Treasurer has determined engage in investment activities in Iran, including any subcontractors of either Party.

(This page is intentionally left blank. The Contract continues with signatures on the following page.)

.

.



STATE OF NORTH CAROLINA

**EXHIBIT 1**

**AFFIDAVIT REGARDING E-VERIFY**

COUNTY OF GUILFORD

I, \_\_\_\_\_ (the individual attesting below), being duly authorized by and on behalf of **STREICHER'S, INC.** \_\_\_\_\_ (the entity doing business with Guilford County, hereinafter "Employer")

after first being duly sworn hereby swears or affirms as follows:

1. Employer understands that E-Verify is the federal E-Verify program operated by the United States Department of Homeland Security and other federal agencies, or any successor or equivalent program used to verify the work authorization of newly hired employees pursuant to federal law in accordance with NCGS §64-25(5).
2. Employer understands that Employers Must Use E-Verify. Each employer, after hiring an employee to work in the United States, shall verify the work authorization of the employee through E-Verify in accordance with NCGS§64-26(a).
3. Employer is a person, business entity, or other organization that transacts business in this State and that employs 25 or more employees in this State. Mark "Yes" or "No":
  - a. YES \_\_\_\_\_; or,
  - b. NO \_\_\_\_\_
4. Employer's subcontractors comply with E-Verify, and if Employer is the winning bidder on this project Employer will ensure compliance with E-Verify by any subcontractors subsequently hired by Employer.

This \_\_\_\_\_ day of \_\_\_\_\_, 2017.

\_\_\_\_\_  
Signature of Affiant  
Print or Type Name: \_\_\_\_\_

State of \_\_\_\_\_ County of \_\_\_\_\_

Signed and sworn to (or affirmed) before me, this the \_\_\_\_\_  
day of \_\_\_\_\_, 2017.

My Commission Expires:  
\_\_\_\_\_  
\_\_\_\_\_  
Notary Public

(Affix Official/Notarial Seal)



## Guilford County's General Terms and Conditions

1. This bid package serves as official notice that GUILFORD COUNTY is soliciting and will receive bids for the item(s) and/or service(s) stated on the event cover page and outlined in the Bid specifications. Bids shall be submitted electronically via the Purchasing Department's Strategic Sourcing website: [www.co.guilford.nc.us/sourcing](http://www.co.guilford.nc.us/sourcing) **by the event close date and time specified.**
2. All addenda to this bid package will be issued electronically. No oral changes by anyone shall affect this bid package.
3. The official bid price, quote, response for RFP, RFQ, or otherwise instructed; shall be signed by a duly authorized person acknowledging full understanding of the bid information and all addenda. The signature shall be witnessed and the Corporate Seal affixed if a corporation. The exact legal name of the corporation or other entity shall be provided
4. Price quotes shall be net, to include all discounts and delivery charges to GUILFORD COUNTY. In cases of difference between unit price and total price, unit price shall prevail unless otherwise noted.
5. Items and services bid are for delivery or completion as soon as possible unless otherwise stated. Delivery or completion dates could therefore be important in making the award.
6. State and local sales taxes are not to be included in quotes, but they are to be added later to all invoices shown as a separate line item for payment. Federal (sales-excise) taxes, where applicable, are to be included in quotes as they are a part of the purchase price.
7. All Formal Bids will be publicly opened and recorded at the date and time specified by and in the Purchasing Department. It is GUILFORD COUNTY's policy to announce the award electronically. All other information, except that specifically noted by the Supplier as being of a Confidential nature, becomes public record in accordance with GS 132 and other applicable North Carolina laws. All interested parties are invited to attend any Formal Bid opening.
8. GUILFORD COUNTY will have a period of thirty (30) days, unless otherwise stated, after opening to analyze and award to lowest responsive and responsible bidder based on service, quality, delivery date, performance data and price. The successful supplier shall promptly enter into a contract acceptable to Guilford County.
9. All Events/Bids in the Formal Range require the final approval of the GUILFORD COUNTY Board of Commissioners who normally meet in open session two times each month, the first and third Thursday at 5:30 PM. Everyone is invited to attend those meetings.
10. A Bid Deposit may be required. If this is the case, it will be clearly stated in the Event specifications for each package. If a bid deposit is required, it should be no less than 5% of the total bid in cash, cashier's check, certified check, or a Bid Bond. The checks shall be drawn on a bank or trust company insured by the Federal Deposit Insurance Corporation; and, the bond shall be a corporate surety licensed under the State of North Carolina. The obligee in either check or bond shall be Guilford County.
11. If Bid Deposit Checks are received, they will be returned to all suppliers when the successful supplier has been selected and the contract awarded by Guilford County. The successful deposit check will be returned when the required contract has been executed.
12. In addition to the bid deposit or bid bond, some supplier's may require a separate

Performance Bond and/or laborers-materials men's bond as provided by law in the amount of the contract by the awarded supplier(s). If this is required, it will be clearly stated in the bid specifications. In place of a bond; cash, cashiers check, certified check or government securities shall be acceptable.

13. Guilford County reserves the right to reject any or all bids if in the best interest of the County.
14. In case of default by the Supplier, Guilford County shall retain the Bid Deposit or call upon the Bid Bond surety unless otherwise provided by Law.
15. Guilford County's policy is normally Net 30 days upon completion and acceptance. In the case of some longer term projects, Guilford County may choose to release partial payments to the supplier each month based on 90% of the estimated value of the work completed. The final payment will be released within thirty (30) days or less after the satisfactory completion of all work, its acceptance by Guilford County and the settlement of all other claims and accounts.
16. In the case of Continuing Service Type Contracts, payment will be made monthly or as otherwise agreed upon.
17. It is Guilford County's Purchasing Policy to conduct all purchasing within the North Carolina Laws and Guilford County Purchasing Policy, to provide each supplier/contractor an equal opportunity to participate, and to award on a best value basis. In order to accomplish our policy, we intend to make every supplier/contractor aware of each purchasing opportunity. Contracts shall be awarded to the lowest responsive and responsible bidder(s) based on quality, performance and the time specified in the proposal for the performance of the contract. Suppliers/contractors should register online at [www.co.guilford.nc.us/sourcing](http://www.co.guilford.nc.us/sourcing).
18. A Material Safety Data Sheet (MSDS) shall be furnished to Guilford County for all products purchased that contain hazardous material and/or components.
19. Any supplier/contractor performing work on GUILFORD COUNTY property is required to have adequate Liability and Workers Compensation Insurance that will fully protect GUILFORD COUNTY from any damages to property and/or persons caused by the supplier/contractor.
20. The successful supplier shall be required (and is responsible) to take Affirmative Action to employ Disabled Veterans and Veterans of the Viet Nam era, including listing vacancies with the North Carolina Employment Security Commission, under 42 US Code 4212 and applicable regulations thereafter.  
  
The successful supplier shall be required to employ in the workforce only those laborers whose employment is consistent with all applicable State and Federal Laws. The successful supplier, and each subcontractor, shall prior to performance of the work receive clear written evidence from each laborer that said laborer may lawfully be employed. Said evidence shall immediately be submitted to the County. Failure of said Supplier or Subcontractor to receive, retain and/or provide to the County such evidence shall constitute a material breach of the Contract with the County.
21. The Supplier shall take Affirmative Action in complying with all Federal and State requirements concerning fair employment without regard to discrimination by reason of race, color, religion, sex, national origin or physical handicap.
22. The successful Supplier is responsible for compliance with all applicable Local, State and Federal Laws, including all state and local permits, licenses and fees.



23. If the Supplier/Contractor should undergo merger, acquisition or any change in their ownership or their name for any reason, the provider shall immediately notify Guilford County in writing of these changes and provide Guilford County with legal documentation supporting these changes, such as an Assumption Agreement, Bill of Sale, Articles of Incorporation, Articles of Amendment, sales contract, merger documents, etc. Further, the Supplier/Contractor shall submit the name and address of their registered agent for Service of Process and/or all notices required under the contract(s). This contract shall not be assumed or otherwise transferred to another party by the Supplier/Contractor without the express written consent of Guilford County, which said consent will be evidenced by acceptance memo, letter or e-mail from the Guilford County Manager, or designee, to the original Supplier/Contractor under the contract and the assuming Supplier/Contractor.
24. Provider shall operate as an independent contractor for all purposes. The Parties agree to each be solely responsible for their own acts or omissions in the performance of each of their individual duties hereunder, and shall be financially and legally responsible for all liabilities, costs, damages, expenses and attorney fees resulting from, or attributable to any and all of their individual acts or omissions to the extent allowable by law.
25. This contract is governed by the Laws of the State of North Carolina.



## Event # 573-1

**Name:** Uniforms for Emergency Medical Services

**Description:** Guilford County is seeking competitive bids for a Price Only Contract for EMS Uniforms for the Emergency Services Department.

**Buyer:** Arthur Buckaloo, Buyer

**Status:** Closed

**Event Type:** FORMAL BID PROCESS

**Currency:** USD

**Category:** APPAREL

**Sealed Bid:** Yes

**Respond To All Lines:** Yes

**Q & A Allowed:** Yes

**Number Of Amendments:** 1

**Preview Date:**

**Q & A Open Date:** 05/30/2017 01:30:00 PM

**Open Date:** 05/30/2017 01:00:00 PM

**Q & A Close Date:** 06/08/2017 05:00:00 PM

**Close Date:** 06/20/2017 03:00:00 PM

**Dispute Close Date:**

## Contacts

| Name            | Title | Phone Number | Email Address          |
|-----------------|-------|--------------|------------------------|
| Arthur Buckaloo | Buyer | 336-641-3066 | ebuckal@myguilford.com |

## Questions


### Question

Upon request are you willing to return all signed and notarized documents and affidavits attached to this bidding event?

Do you have the legal and binding authority to enter into a contract with Guilford County on behalf of your corporation or organization?

From the date of Notification Of Award, how many calendar days will it take to deliver the items requested or provide the service?

Do you have an apparel alteration employed and housed within the vendor facility?



## Event # 573-1: Uniforms for Emergency Medical Services

---

### Question

---

If you have not done business with Guilford County, North Carolina within the last twelve months, you must provide three references with whom you have done similar work within the last three years, who can vouch for the quality of your work. Please indicate their company name, contact person, address, phone number and email address for verification. If you have done business with Guilford County within the last twelve months, please so indicate, and provide the dates and nature of your work.

Do you have a store front located in Guilford County? If no, please describe where?

Do you understand that although clothing samples are not required at the time of bid submission, they may be required upon request from the Emergency Services Department.

Do you comply with the packing standards of all the garments listed in this bid?

Do comply with the standard code of conduct for all garments listed in this bid?

Are you willing to submit, upon request, a completed Code of Conduct document verifying acceptable working conditions to include the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines?

## Terms and Conditions

### TERMS AND CONDITIONS

General Terms and Conditions for all bidding events.

[TERMS AND CONDITIONS \(application/pdf\)](#)

### NON-COLLUSION AFFIDAVIT

My submission of a response to this event certifies that I agree to the non collusion agreement contained below:

1. The submitter of this document is the is acting as an agent for their company who is the respondent that has submitted the attached bid response.
2. The undersigned person is fully informed concerning the preparation and contents of the attached response and of all pertinent circumstances related to it, and is authorized to sign this affidavit. This affidavit is given under penalty of perjury as provided by law.
3. Such bid response is genuine and is not collusive or sham in anyway whatsoever.
4. Neither the person responding nor any of its officers; partners, owners, agents, representatives, employees or parties in interest, including the signer of this affidavit, have in any way colluded, conspired, connived or agreed, directly or indirectly, with any other respondent, firm or person to submit collusive or submit a sham response in connection with the contract for which the attached response has been submitted or to refrain from responding in connection with such contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other responder, firm or person to fix the price or prices in the attached response or of any other responder, or, to fix any overhead, profit, or cost to secure through collusion, conspiracy, connivance or unlawful agreement any advantage against the Board of County

## Event # 573-1: Uniforms for Emergency Medical Services

---

Commissioners, Guilford County or any person interested in the proposed contract.

5. The price or prices quoted in the attached response are fair and proper and are not derived by any collusion, conspiracy, connivance or unlawful agreement on the part of the respondent or any of its agents, representatives, owners, employees, or parties in interest.

### Attachments

Attachment

---

Event 573 - EMS Uniform Specs.pdf

Price Listing from Event 350 - Pervious Bid.pdf

### Line Details

#### Line 1: White Short Sleeve Shirt-Male

---

**Description:** Please list a price for the purchase of one (1) White, Short Sleeve, Male shirt. Please see the specifications attached and be sure to answer ALL questions.

**Item:** WHITE SHORT SLEEVE MALE      White Short Sleeve Shirt      Male

**Commodity Code:** 200-70      Shirts, Dress and Casual

**Quantity:** 100

**UOM:** EA

**Require Response:** Yes

**Price Breaks Allowed:** No

**Alternate Items No Allowed:**

**Add On Charges No Allowed:**

Attachment

---

Short Sleeve Shirt-White

#### Line 2: White Long Sleeve Shirt Male

---

**Description:** Please list a price for the purchase of one (1) White, Long Sleeve, Male shirt. Please see the specifications attached and be sure to answer ALL questions.

**Item:** WHITE LONG SLEEVE MALE      White Long Sleeve Shirt      Male

## Event # 573-1: Uniforms for Emergency Medical Services

Commodity Code: 200-70 Shirts, Dress and Casual

Quantity: 50

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:

Attachment

White Long Sleeve Male Shirt

**Line 3: Blue Short Sleeve Shirt Male****Description:** Please list a price for the purchase of one (1) Blue, Short Sleeve, Male shirt. Please see the specifications attached and be sure to answer ALL questions.**Item:** BLUE SHORT SLEEVE MALE Blue Short Sleeve Male

Commodity Code: 200-70 Shirts, Dress and Casual

Quantity: 200

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:

Attachment

Male Blue Short Sleeve Shirt

**Line 4: Blue Long Sleeve Shirt Male****Description:** Please list a price for the purchase of one (1) Blue, Long Sleeve, Male shirt. Please see the specifications attached and be sure to answer ALL questions.**Item:** BLUE Blue Long Sleeve Male


Commodity Code: 200-70 Shirts, Dress and Casual

Quantity: 50

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:

## Event # 573-1: Uniforms for Emergency Medical Services

Attachment

Blue Long Sleeve Male

**Line 5: White Long Sleeve Shirt Female**

**Description:** Please list a price for the purchase of one (1) White, Long Sleeve, Female shirt. Please see the specifications attached and be sure to answer ALL questions.

**Item:** WHITE LONG SLEEVE FEMALE White Long Sleeve Female

**Commodity Code:** 200-70 Shirts, Dress and Casual

**Quantity:** 50 **UOM:** EA

**Require Response:** Yes

**Price Breaks Allowed:** No

**Alternate Items No Allowed:**

**Add On Charges No Allowed:**

Attachment

White Long Sleeve Shirt Female

**Line 6: White Short Sleeve Shirt Female**

**Description:** Please list a price for the purchase of one (1) White, LShort Sleeve, Female shirt. Please see the specifications attached and be sure to answer ALL questions.

**Item:** WHITE SHORT SLEEVE FEMALE White Short Sleeve Female

**Commodity Code:** 200-70 Shirts, Dress and Casual

**Quantity:** 30 **UOM:** EA

**Require Response:** Yes


**Price Breaks Allowed:** No

**Alternate Items No Allowed:**

**Add On Charges No Allowed:**

Attachment

White Short Sleeve Female



Event # 573-1: Uniforms for Emergency Medical Services

---

**Line 7: Blue Long Sleeve Shirt Female**

**Description:** Please list a price for the purchase of one (1) Blue, Long Sleeve, Female shirt. Please see the specifications attached.

**Item:** BLUE LONG SLEEVE FEMALE Blue long sleeve shirt female

**Commodity Code:** 200-70 Shirts, Dress and Casual

**Quantity:** 50 **UOM:** EA

**Require Response:** Yes **Price Breaks Allowed:** No **Alternate Items Allowed:** No

**Add On Charges Allowed:** No

---

Attachment

---

Blue Long Sleeve Shirt Female

**Line 8: Blue Short Sleeve Female**

**Description:** Please list a price for the purchase of one (1) Blue, short sleeve, Female shirt. Please see the specifications attached.

**Item:** BLUE SHORT SLEEVE FEMALE blue short sleeve shirt female

**Commodity Code:** 200-70 Shirts, Dress and Casual

**Quantity:** 200 **UOM:** EA

**Require Response:** Yes **Price Breaks Allowed:** No **Alternate Items Allowed:** No

**Add On Charges Allowed:** No

---

Attachment

---


Blue Short Sleeve Shirt Female

**Line 9: EMT Trousers Male**

**Description:** Please list a price for the purchase of one (1) pair of Male EMT Trousers. Please see the specifications attached and be sure to answer ALL questions.

**Item:** EMT TROUSER MALE EMT Trouser Male

**Commodity Code:** 200-44 Pants, Slacks, Trousers, Shorts, Jeans, etc.



## Event # 573-1: Uniforms for Emergency Medical Services

Quantity: 225

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:

## Question

Do you comply with the General Requirements as listed in the specifications for the EMT Trousers?

Do you comply with the Shell Fabric as listed in the specifications for the EMT Trousers?

Do you comply with the Trim as listed in the specifications for the EMT Trousers?

Do you comply with the Design and Construction as listed in the specifications for the EMT Trousers?

Do you comply with the Customization as listed in the specifications for the EMT Trousers?

Do you comply with the Standard Size Range as listed in the specifications for the EMT Trousers?

Do you comply with the Measurements as listed in the specifications for the EMT Trousers?

## Attachment

EMT Trouser Male


**Line 10: EMT Trousers Female****Description:** Please list a price for the purchase of one (1) pair of Female EMT Trousers. The same specifications and questions apply to the male and female trousers. Please refer to the EMT Trousers Male line for specifications.**Item:** EMT TROUSERS FEMALE EMT Trouser Female**Commodity Code:** 200-44 Pants, Slacks, Trousers, Shorts, Jeans, etc.

Quantity: 150

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:**Line 12: Oversize Shirts Male****Description:** Please list your pricing for the purchase of an over size shirt for a male.**Item:** OVERSIZED MALE SHIRT Oversized Male Shirt**Commodity Code:** 200-70 Shirts, Dress and Casual



## Event # 573-1: Uniforms for Emergency Medical Services

Quantity: 24

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:**Line 13: Oversized Shirt Female****Description:** Please list your pricing for the purchase of an over size shirt for a male.**Item:** OVERSIZED SHIRT FEMALE Oversized Female Shirt**Commodity Code:** 200-70 Shirts, Dress and Casual

Quantity: 20

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:**Line 14: Oversized Trousers Male****Description:** Please list your pricing for the purchase of an over size trousers for a male.**Item:** OVERSIZE TROUSERS MALE Oversized Trousers Male**Commodity Code:** 200-44 Pants, Slacks, Trousers, Shorts, Jeans, etc.

Quantity: 16

UOM: EA

Require Response: Yes

Price Breaks Allowed: No


Alternate Items No  
Allowed:Add On Charges No  
Allowed:**Line 15: Oversize Trousers Female****Description:** Please list your pricing for the purchase of an over size shirt for a female.**Item:** OVERSIZED TROUSERS FEMALE Oversized trousers female**Commodity Code:** 200-70 Shirts, Dress and Casual

Quantity: 12

UOM: EA

Require Response: Yes

Price Breaks Allowed: No

Alternate Items No  
Allowed:Add On Charges No  
Allowed:

**Guilford County Purchasing Department**  
**Event #573**  
**Emergency Medical Service Uniforms for**  
**EMS Department**

**Specifications – General**

Guilford County is seeking competitive bids for: A Price Only Contract for EMS Uniforms for the Emergency Services Department. The purpose of this bid package is, therefore, to obtain competitive quotations in accordance with the North Carolina Purchasing Laws and the Guilford County Purchasing Policies.

The contractor must furnish the garments to EMS employees on a numbered voucher system to allow employees to acquire needed items. Employees may need to be measured due to size changes, new employees, etc. It is the intent of these specifications to ensure that the uniforms will be new and delivered to their final location. All work shall be done in a proper workmanlike manner in complete conformity with the contract documents.

This contract will begin July 1, 2017 and continue through June 30, 2019, for an initial two (2) years with an option to renew the contract for three (3) additional one (1) year periods at the same price, with no price increases for the duration of the contract. The contract may be cancelled by either party upon a sixty (60) day written notice by either party.

Although this contract is for price only and does not financially obligate Guilford County to purchase any minimum amount. There is no guarantee to the quantities to be ordered, it could either increase or decrease depending on need.

This contract will be to supply the required clothing, per bid specifications on a needed basis for each EMS personnel. Uniform substitutions during the contract period must be approved in writing between the County and the vendor. The clothing must maintain similar appearance to the existing uniforms.

The uniform provider shall provide a representative responsible for sizing of the specified clothing type. The uniform provider will handle **all** alterations required to ensure a proper fit and will sew the “EMS Department’s Patch” on all shirts and jackets. Uniformity of alterations is **required**. The above shall be included in the bid price per clothing item. **It is preferred the seamstress employed and housed within the vendor’s facility. No exceptions allowed.**

Any additional charge for oversize clothing shall be quoted in the bid on the alternate lines listed as such.

Uniforms are expected to be ready for service (alterations complete and application of patch) orders must be complete within a ten business day period from the time the uniform is ordered until it is shipped to Guilford County. If the vendor cannot meet this requirement, the county reserves the right to obtain uniforms from alternate vendors.

All clothing shall be picked up **only** by an appointed departmental employee(s) or shipped

accordingly. All uniforms shall be issued by personnel name to prevent errors. Any incorrect clothing shall be corrected by the uniform provider at no cost to Guilford County. A packing list of items received at that time will be signed and returned to department ES Manager – Planning and Research. **No exceptions allowed.**

Failure to agree to the compliance questions (found on the event lines) will result in automatic rejection of such bids as non-responsive.

Pre-bid samples are **not** required at the time of the bid opening. Samples may be requested as needed and are subjected to laboratory testing at the discretion of the Emergency Services Department. Suppliers are responsible for all testing cost of their sample garments.

Uniform suppliers must enclose evidence (dated manufacturers catalogs or similar) that the item is currently a commercial in-stock style. The successful bidder will provide a full size run of try on garments within 10 business days of contract start for agency approval.

All products must have a printed warranty hangtag covering (at minimum) defects in material and workmanship. Garments must be manufactured to ISO 9001 assurance standards. (AG1702).

Garments must be fade-resistant and offer stain protection.

Neither a **Bid Deposit** nor a **Performance Bond** is required for this bid.

**Event 573** for Emergency Medical Services Uniforms closes on Tuesday June 20<sup>th</sup> 2017 at 3:00 pm. This bid is to be submitted electronically via Strategic Sourcing under Event #573 before the event close date and time. **No exceptions allowed.**

All questions related to this event shall be asked online using the Question & Answer forum from Tuesday May 30<sup>th</sup> 2017 through Thursday June 8<sup>th</sup> 2017 at 5:00 pm. Each question asked will be answered online for any/all vendors to view. No questions will be considered after the Q&A close date and time. **No exceptions.**

**ALL QUESTIONS** must be submitted electronically by means of the Q & A feature included within this bidding event. **NO QUESTIONS** will be answered by telephone, email, written correspondence or other means except as described herein. Answers to electronic questions properly submitted will be sent out electronically by means of the above described Q & A feature to all properly registered suppliers who received the Initial Notification of bidding event. Those suppliers who registered after the Event open date and time will not receive electronic correspondence relative to this Event. There shall be **no communication** with any Guilford County employees other than by means of the Q & A feature. Violation of this requirement may invalidate your proposal.

Guilford County may award per line, by total Group Award or whatever is in the best interest of Guilford County. All suppliers can, therefore, quote for any one section or all sections.

**Specifications – Specifics****Elbeco DutyMaxx  
Female Long Sleeve LC Shirts**

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit. Elbeco 9586LCD in Medium blue (field uniform) and White (Admin and field dress uniform) (No substitutions allowed).

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with Dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".

The leaf shall be made of three pieces; two pieces of self-cloth and one whole lining, which is to be fused to the top collar.

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

**Sleeves:** To be straight and whole with one pleat at the cuff. The cuffs are to be 2-5/8" in width and to fasten with a two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.

**Duty Maxx****Female Long Sleeve LC Shirts**

The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The right front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Duty Maxx****Female Long Sleeve LC Shirts****Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** DutyMaxx woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Duty Maxx****Female Long Sleeve LC Shirts****Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <u>Size:</u>   | <u>30</u> | <u>32</u> | <u>34</u> | <u>36</u> | <u>38</u> | <u>40</u> | <u>42</u> | <u>44</u> | <u>46</u> | <u>48</u> |    |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----|
| Bust:          | 38½       | 39½       | 41        | 42½       | 44        | 45½       | 47½       | 49½       | 51½       | 53½       |    |
| Waist:         | 35½       | 36½       | 38        | 39½       | 41        | 42½       | 44½       | 46½       | 48½       | 50½       |    |
| Back:          | 27½       | 27½       | 28½       | 28½       | 28½       | 28½       | 28½       | 28½       | 29        | 29        |    |
| Sleeve Length: |           | 30        | 30        | 31        | 32        | 32        | 33        | 33        | 33        | 34        | 34 |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

**Elbeco Duty Maxx****Female Short Sleeve LC Shirts**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit. Elbeco 9786LCD in Medium Blue (field uniform) and white (Admin uniform) (no substitutions allowed).

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy and brown shades to have Dacron lining.)

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

**Sleeves:** Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9-1/2" long from shoulder seam. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.



**Duty Maxx****Female Short Sleeve LC Shirts**

---

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The right front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The right front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the left front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a nonfunctional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

## Duty Maxx Female Short Sleeve LC Shirts

---

### Permanent Creases:

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

### UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** DutyMaxx woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

### Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

### Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

|              | <b>Finished Dimensions</b> |           |           |           |           |           |           |           |           |           |
|--------------|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| <b>Size:</b> | <u>30</u>                  | <u>32</u> | <u>34</u> | <u>36</u> | <u>38</u> | <u>40</u> | <u>42</u> | <u>44</u> | <u>46</u> | <u>48</u> |
| Bust:        | 38½                        | 39½       | 41        | 42½       | 44        | 45½       | 47½       | 49½       | 51½       | 53½       |
| Waist:       | 35½                        | 36½       | 38        | 39½       | 41        | 42½       | 44½       | 46½       | 48½       | 50½       |
| Back:        | 27½                        | 27½       | 28½       | 28½       | 28½       | 28½       | 28½       | 28½       | 29        | 29        |

**Note:** Navy shirts to be made to accommodate removable metal buttons throughout.

**EMS Duty Shirt**  
**Female Long Sleeve Shirts-White**

---

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with Dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.
- Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- Sleeves:** To be straight and whole with one pleat at the cuff. The cuffs are to be 2-5/8" in width and to fasten with a two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.

## Female Long Sleeve Shirts

### Page 2

---

The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The right front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Female Long Sleeve Shirts****Page 3**

---

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Female Long Sleeve Shirts****Page 4**

---

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <u>Size:</u>   | <u>30</u> | <u>32</u> | <u>34</u> | <u>36</u> | <u>38</u> | <u>40</u> | <u>42</u> | <u>44</u> | <u>46</u> | <u>48</u> |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Bust:          | 38½       | 39½       | 41        | 42½       | 44        | 45½       | 47½       | 49½       | 51½       | 53½       |
| Waist:         | 35½       | 36½       | 38        | 39½       | 41        | 42½       | 44½       | 46½       | 48½       | 50½       |
| Back:          | 27½       | 27½       | 28½       | 28½       | 28½       | 28½       | 28½       | 28½       | 29        | 29        |
| Sleeve Length: | 30        | 30        | 31        | 32        | 32        | 33        | 33        | 33        | 34        | 34        |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

**EMS Duty Shirt**  
**Male Short Sleeve Shirt-White**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy blue and brown shades to have Dacron lining.)

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

**Sleeves:** Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

| <u>Size</u>       | <u>Finished Length</u> |
|-------------------|------------------------|
| 14 and 14-1/2     | 9-1/2"                 |
| 15, 15-1/2 and 16 | 10"                    |
| 16-1/2" and above | 10-1/2"                |

## Male Short Sleeve Shirt

### Page 2

---

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The left front shall have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The left front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the right front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

### **Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.



**Male Short Sleeve Shirt****Page 3**

---

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <b>Neck Size:</b> | <b>14</b> | <b>14.5</b>                    | <b>15</b>                      | <b>15.5</b>                    | <b>16</b>                      | <b>16.5</b> | <b>17</b>                      | <b>17.5</b> | <b>18</b>                      | <b>18.5</b>                    | <b>19</b>                      |
|-------------------|-----------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------|--------------------------------|-------------|--------------------------------|--------------------------------|--------------------------------|
| Chest:            | 39½       | 41½                            | 43½                            | 45½                            | 47½                            | 49½         | 51½                            | 53½         | 56                             | 58                             | 60                             |
| Waist:            | 35        | 37                             | 39                             | 41                             | 43                             | 45          | 47                             | 50          | 54                             | 55                             | 58                             |
| Bk Length:        | 32½       | 32 <sup>5</sup> / <sub>8</sub> | 32 <sup>3</sup> / <sub>4</sub> | 32 <sup>7</sup> / <sub>8</sub> | 33 <sup>1</sup> / <sub>8</sub> | 33½         | 33 <sup>7</sup> / <sub>8</sub> | 35          | 35 <sup>3</sup> / <sub>8</sub> | 35 <sup>7</sup> / <sub>8</sub> | 36 <sup>3</sup> / <sub>8</sub> |

**Note:** Navy shirt to be made to accommodate removable metal buttons throughout.

**EMS Duty Shirt**  
**Male Short Sleeve Shirt-White**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy blue and brown shades to have Dacron lining.)

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

**Sleeves:** Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

| <u>Size</u>       | <u>Finished Length</u> |
|-------------------|------------------------|
| 14 and 14-1/2     | 9-1/2"                 |
| 15, 15-1/2 and 16 | 10"                    |
| 16-1/2" and above | 10-1/2"                |

## Male Short Sleeve Shirt

### Page 2

---

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The left front shall have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The left front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the right front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Male Short Sleeve Shirt****Page 3**

---

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <b>Neck Size:</b> | <b>14</b> | <b>14.5</b>                    | <b>15</b>                      | <b>15.5</b>                    | <b>16</b>                      | <b>16.5</b> | <b>17</b>                      | <b>17.5</b> | <b>18</b>                      | <b>18.5</b>                    | <b>19</b>                      |
|-------------------|-----------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------|--------------------------------|-------------|--------------------------------|--------------------------------|--------------------------------|
| Chest:            | 39½       | 41½                            | 43½                            | 45½                            | 47½                            | 49½         | 51½                            | 53½         | 56                             | 58                             | 60                             |
| Waist:            | 35        | 37                             | 39                             | 41                             | 43                             | 45          | 47                             | 50          | 54                             | 55                             | 58                             |
| Bk Length:        | 32½       | 32 <sup>5</sup> / <sub>8</sub> | 32 <sup>3</sup> / <sub>4</sub> | 32 <sup>7</sup> / <sub>8</sub> | 33 <sup>1</sup> / <sub>8</sub> | 33½         | 33 <sup>7</sup> / <sub>8</sub> | 35          | 35 <sup>3</sup> / <sub>8</sub> | 35 <sup>7</sup> / <sub>8</sub> | 36 <sup>3</sup> / <sub>8</sub> |

**Note:** Navy shirt to be made to accommodate removable metal buttons throughout.

**Elbeco Duty Maxx****Male Long Sleeve Shirt**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Sample shirt is a Elbeco 586D (long-sleeve) (no substitutions allowed).

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Color:** Shirts will be the Elbeco Medium Blue (field uniform) and White (Admin and field dress uniform) in color. Vendor will guarantee that the color will match current Medium Blue and white shirts in use by GCEMS.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon plain weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".

The leaf shall be made of three pieces; two pieces of self-cloth and one whole lining, which is to be fused to the top collar.

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

## **Duty Maxx Male Shirt**

**Sleeves:** To be straight and whole with a pleat at the cuff. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Duty Maxx**  
**Male Long Sleeve Shirt**

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Duty Maxx woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Duty Maxx**  
**Male Long Sleeve Shirt**  
**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <b><u>Neck Size:</u></b> | <b><u>14</u></b> | <b><u>14.5</u></b>             | <b><u>15</u></b>               | <b><u>15.5</u></b>             | <b><u>16</u></b>               | <b><u>16.5</u></b> | <b><u>17</u></b>               | <b><u>17.5</u></b> | <b><u>18</u></b>               | <b><u>18.5</u></b>             | <b><u>19</u></b>               |
|--------------------------|------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------|--------------------------------|--------------------|--------------------------------|--------------------------------|--------------------------------|
| Chest:                   | 39½              | 41½                            | 43½                            | 45½                            | 47½                            | 49½                | 51½                            | 53½                | 56                             | 58                             | 60                             |
| Waist:                   | 35               | 37                             | 39                             | 41                             | 43                             | 45                 | 47                             | 50                 | 53                             | 55                             | 58                             |
| Bk Length:               | 32½              | 32 <sup>5</sup> / <sub>8</sub> | 32 <sup>3</sup> / <sub>4</sub> | 32 <sup>7</sup> / <sub>8</sub> | 33 <sup>1</sup> / <sub>8</sub> | 33½                | 33 <sup>7</sup> / <sub>8</sub> | 35                 | 35 <sup>3</sup> / <sub>8</sub> | 35 <sup>7</sup> / <sub>8</sub> | 36 <sup>3</sup> / <sub>8</sub> |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.



**EMS Duty Shirt**  
**Male Long Sleeve Shirt-Medium Blue**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".

The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

## Male Long Sleeve Shirt

### Page 2

---

- Sleeves:** To be straight and whole with a pleat at the cuff. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.
- The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.
- Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

## Male Long Sleeve Shirt

### Page 3

---

#### **Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

#### **Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

#### **UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

#### **Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Male Long Sleeve Shirt**  
**Page 4**

---

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <b><u>Neck Size:</u></b> | <b><u>14</u></b> | <b><u>14.5</u></b> | <b><u>15</u></b> | <b><u>15.5</u></b> | <b><u>16</u></b> | <b><u>16.5</u></b> | <b><u>17</u></b> | <b><u>17.5</u></b> | <b><u>18</u></b> | <b><u>18.5</u></b> | <b><u>19</u></b> |
|--------------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| Chest:                   | 39½              | 41½                | 43½              | 45½                | 47½              | 49½                | 51½              | 53½                | 56               | 58                 | 60               |
| Waist:                   | 35               | 37                 | 39               | 41                 | 43               | 45                 | 47               | 50                 | 53               | 55                 | 58               |
| Bk Length:               | 32½              | 32⅝                | 32¾              | 32⅞                | 33⅛              | 33½                | 33⅞              | 35                 | 35⅜              | 35⅞                | 36⅜              |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

**Elbeco Duty Maxx****Male Short Sleeve Shirt**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample. Two separate Elbeco 5586D (short-sleeve) shirts in Medium Blue (field uniform) and white (Admin uniform) (No substitutions allowed)

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy blue and brown shades to have Dacron lining.)

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

**Sleeves:** Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

| <u>Size</u>       | <u>Finished Length</u> |
|-------------------|------------------------|
| 14 and 14-1/2     | 9-1/2"                 |
| 15, 15-1/2 and 16 | 10"                    |
| 16-1/2" and above | 10-1/2"                |

**Duty Maxx**  
**Male Short Sleeve Shirt**

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The left front shall have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The left front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the right front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

## **Duty Maxx**

### **Male Short Sleeve Shirt**

---

#### **Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

#### **UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Duty Maxx woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

#### **Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

#### **Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

|                          | <b>Finished Dimensions</b> |                    |                  |                    |                  |                    |                  |                    |                  |                    |                  |
|--------------------------|----------------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| <b><u>Neck Size:</u></b> | <b><u>14</u></b>           | <b><u>14.5</u></b> | <b><u>15</u></b> | <b><u>15.5</u></b> | <b><u>16</u></b> | <b><u>16.5</u></b> | <b><u>17</u></b> | <b><u>17.5</u></b> | <b><u>18</u></b> | <b><u>18.5</u></b> | <b><u>19</u></b> |
| Chest:                   | 39½                        | 41½                | 43½              | 45½                | 47½              | 49½                | 51½              | 53½                | 56               | 58                 | 60               |
| Waist:                   | 35                         | 37                 | 39               | 41                 | 43               | 45                 | 47               | 50                 | 54               | 55                 | 58               |
| Bk Length:               | 32½                        | 32⅝                | 32¾              | 32⅞                | 33⅛              | 33½                | 33⅞              | 35                 | 35⅜              | 35⅞                | 36⅜              |

**Note:** Navy shirt to be made to accommodate removable metal buttons throughout.

### **Men's**

Pants: 511 Tactical EMS Pant Style #74310 black in color

Waist sizes: 28, 30, 32, 34, 36, 38,40, 42, 44, 46, 48, 50, 52, 54

Inseam: 30, 32, 34, 36, and unhemmed.

Pants: Taclite EMS Pants Style #74363 black in color

Waist sizes: 28, 30, 32, 34, 36, 38,40, 42, 44, 46, 48, 50, 52, 54

Inseam: 30, 32, 34, 36, and unhemmed.

### **Women's**

Pants: 511 Tactical EMS Pant Style #64301 Black in color

Waist sizes: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20

Inseam regular and long

Pants: Taclite EMS Pants Style #64369 black in color

Waist sizes: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20

Inseam regular and long



**EMS Duty Shirt**  
**Male Long Sleeve Shirt-White**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".

The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

## Male Long Sleeve Shirt

### Page 2

---

- Sleeves:** To be straight and whole with a pleat at the cuff. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.
- The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.
- Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

## Male Long Sleeve Shirt

### Page 3

---

#### **Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

#### **Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

#### **UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

#### **Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Male Long Sleeve Shirt**  
**Page 4**

---

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <b><u>Neck Size:</u></b> | <b><u>14</u></b> | <b><u>14.5</u></b> | <b><u>15</u></b> | <b><u>15.5</u></b> | <b><u>16</u></b> | <b><u>16.5</u></b> | <b><u>17</u></b> | <b><u>17.5</u></b> | <b><u>18</u></b> | <b><u>18.5</u></b> | <b><u>19</u></b> |
|--------------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| Chest:                   | 39½              | 41½                | 43½              | 45½                | 47½              | 49½                | 51½              | 53½                | 56               | 58                 | 60               |
| Waist:                   | 35               | 37                 | 39               | 41                 | 43               | 45                 | 47               | 50                 | 53               | 55                 | 58               |
| Bk Length:               | 32½              | 32⅝                | 32¾              | 32⅞                | 33⅛              | 33½                | 33⅞              | 35                 | 35⅜              | 35⅞                | 36⅜              |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

**EMS Duty Shirt**  
**Male Short Sleeve Shirt-White**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy blue and brown shades to have Dacron lining.)

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

**Sleeves:** Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

| <u>Size</u>       | <u>Finished Length</u> |
|-------------------|------------------------|
| 14 and 14-1/2     | 9-1/2"                 |
| 15, 15-1/2 and 16 | 10"                    |
| 16-1/2" and above | 10-1/2"                |

## Male Short Sleeve Shirt

### Page 2

---

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The left front shall have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The left front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the right front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

### **Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Male Short Sleeve Shirt****Page 3**

---

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <b>Neck Size:</b> | <b>14</b> | <b>14.5</b>                    | <b>15</b>                      | <b>15.5</b>                    | <b>16</b>                      | <b>16.5</b> | <b>17</b>                      | <b>17.5</b> | <b>18</b>                      | <b>18.5</b>                    | <b>19</b>                      |
|-------------------|-----------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------|--------------------------------|-------------|--------------------------------|--------------------------------|--------------------------------|
| Chest:            | 39½       | 41½                            | 43½                            | 45½                            | 47½                            | 49½         | 51½                            | 53½         | 56                             | 58                             | 60                             |
| Waist:            | 35        | 37                             | 39                             | 41                             | 43                             | 45          | 47                             | 50          | 54                             | 55                             | 58                             |
| Bk Length:        | 32½       | 32 <sup>5</sup> / <sub>8</sub> | 32 <sup>3</sup> / <sub>4</sub> | 32 <sup>7</sup> / <sub>8</sub> | 33 <sup>1</sup> / <sub>8</sub> | 33½         | 33 <sup>7</sup> / <sub>8</sub> | 35          | 35 <sup>3</sup> / <sub>8</sub> | 35 <sup>7</sup> / <sub>8</sub> | 36 <sup>3</sup> / <sub>8</sub> |

**Note:** Navy shirt to be made to accommodate removable metal buttons throughout.

**EMS Duty Shirt**  
**Male Short Sleeve Shirt-Medium Blue**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy blue and brown shades to have Dacron lining.)

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

**Sleeves:** Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

| <u>Size</u>   | <u>Finished Length</u> |
|---------------|------------------------|
| 14 and 14-1/2 | 9-1/2"                 |



|                   |         |
|-------------------|---------|
| 15, 15-1/2 and 16 | 10"     |
| 16-1/2" and above | 10-1/2" |

## Male Short Sleeve Shirt

### Page 2

---

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The left front shall have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The left front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the right front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

### Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The

other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

## **Male Short Sleeve Shirt**

### **Page 3**

---

#### **Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

#### **UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

#### **Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

#### **Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination,

and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

|                          | <b>Finished Dimensions</b> |                    |                  |                    |                  |                    |                  |                    |                  |                    |                  |
|--------------------------|----------------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| <b><u>Neck Size:</u></b> | <b><u>14</u></b>           | <b><u>14.5</u></b> | <b><u>15</u></b> | <b><u>15.5</u></b> | <b><u>16</u></b> | <b><u>16.5</u></b> | <b><u>17</u></b> | <b><u>17.5</u></b> | <b><u>18</u></b> | <b><u>18.5</u></b> | <b><u>19</u></b> |
| Chest:                   | 39½                        | 41½                | 43½              | 45½                | 47½              | 49½                | 51½              | 53½                | 56               | 58                 | 60               |
| Waist:                   | 35                         | 37                 | 39               | 41                 | 43               | 45                 | 47               | 50                 | 54               | 55                 | 58               |
| Bk Length:               | 32½                        | 32⅝                | 32¾              | 32⅞                | 33⅛              | 33½                | 33⅞              | 35                 | 35⅜              | 35⅞                | 36⅜              |

**Note:** Navy shirt to be made to accommodate removable metal buttons throughout.

**EMS Duty Shirt**  
**Male Long Sleeve Shirt-Medium Blue**

---

**Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

**Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

**Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.

**Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".

The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.

Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

## Male Long Sleeve Shirt

### Page 2

---

- Sleeves:** To be straight and whole with a pleat at the cuff. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.
- The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.
- Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- Pockets:** To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- Flaps:** To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

## Male Long Sleeve Shirt

### Page 3

---

#### **Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

#### **Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

#### **UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

#### **Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Male Long Sleeve Shirt**  
**Page 4**

---

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <b><u>Neck Size:</u></b> | <b><u>14</u></b> | <b><u>14.5</u></b> | <b><u>15</u></b> | <b><u>15.5</u></b> | <b><u>16</u></b> | <b><u>16.5</u></b> | <b><u>17</u></b> | <b><u>17.5</u></b> | <b><u>18</u></b> | <b><u>18.5</u></b> | <b><u>19</u></b> |
|--------------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| Chest:                   | 39½              | 41½                | 43½              | 45½                | 47½              | 49½                | 51½              | 53½                | 56               | 58                 | 60               |
| Waist:                   | 35               | 37                 | 39               | 41                 | 43               | 45                 | 47               | 50                 | 53               | 55                 | 58               |
| Bk Length:               | 32½              | 32⅝                | 32¾              | 32⅞                | 33⅛              | 33½                | 33⅞              | 35                 | 35⅜              | 35⅞                | 36⅜              |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

**EMS Duty Shirt**  
**Female Long Sleeve Shirts-White**

---

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with Dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.
- Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- Sleeves:** To be straight and whole with one pleat at the cuff. The cuffs are to be 2-5/8" in width and to fasten with a two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.



## Female Long Sleeve Shirts

### Page 2

---

The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The right front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Female Long Sleeve Shirts****Page 3**

---

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Female Long Sleeve Shirts****Page 4**

---

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <u>Size:</u>   | <u>30</u> | <u>32</u> | <u>34</u> | <u>36</u> | <u>38</u> | <u>40</u> | <u>42</u> | <u>44</u> | <u>46</u> | <u>48</u> |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Bust:          | 38½       | 39½       | 41        | 42½       | 44        | 45½       | 47½       | 49½       | 51½       | 53½       |
| Waist:         | 35½       | 36½       | 38        | 39½       | 41        | 42½       | 44½       | 46½       | 48½       | 50½       |
| Back:          | 27½       | 27½       | 28½       | 28½       | 28½       | 28½       | 28½       | 28½       | 29        | 29        |
| Sleeve Length: | 30        | 30        | 31        | 32        | 32        | 33        | 33        | 33        | 34        | 34        |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

**EMS Duty Shirt**  
**Female Short Sleeve Shirts – White**

---

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy and brown shades to have Dacron lining.)
- Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.
- The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.
- Sleeves:** Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9-1/2" long from shoulder seam. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Female Short Sleeve Shirts****Page 2**

---

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The right front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The right front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the left front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Female Short Sleeve Shirts****Page 3****Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

|               |           |           |           |           |           |           |           |           |           |           |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| <b>Size:</b>  | <u>30</u> | <u>32</u> | <u>34</u> | <u>36</u> | <u>38</u> | <u>40</u> | <u>42</u> | <u>44</u> | <u>46</u> | <u>48</u> |
| <b>Bust:</b>  | 38½       | 39½       | 41        | 42½       | 44        | 45½       | 47½       | 49½       | 51½       | 53½       |
| <b>Waist:</b> | 35½       | 36½       | 38        | 39½       | 41        | 42½       | 44½       | 46½       | 48½       | 50½       |
| <b>Back:</b>  | 27½       | 27½       | 28½       | 28½       | 28½       | 28½       | 28½       | 28½       | 29        | 29        |

**Note:** Navy shirts to be made to accommodate removable metal buttons throughout.

**EMS Duty Shirt**  
**Female Long Sleeve Shirts-Medium Blue**

---

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with Dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.
- Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- Sleeves:** To be straight and whole with one pleat at the cuff. The cuffs are to be 2-5/8" in width and to fasten with a two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.

## Female Long Sleeve Shirts

### Page 2

---

The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Front:** The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The right front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.



**Female Long Sleeve Shirts****Page 3**

---

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Cuffs and band to be 37 H'press. (Navy and brown shades to have Dacron lining in collar.) Collar to be CK331.

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Female Long Sleeve Shirts**  
**Page 4**

---

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**Finished Dimensions**

| <u>Size:</u>   | <u>30</u> | <u>32</u> | <u>34</u> | <u>36</u> | <u>38</u> | <u>40</u> | <u>42</u> | <u>44</u> | <u>46</u> | <u>48</u> |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Bust:          | 38½       | 39½       | 41        | 42½       | 44        | 45½       | 47½       | 49½       | 51½       | 53½       |
| Waist:         | 35½       | 36½       | 38        | 39½       | 41        | 42½       | 44½       | 46½       | 48½       | 50½       |
| Back:          | 27½       | 27½       | 28½       | 28½       | 28½       | 28½       | 28½       | 28½       | 29        | 29        |
| Sleeve Length: | 30        | 30        | 31        | 32        | 32        | 33        | 33        | 33        | 34        | 34        |

**Note:** Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

**EMS Duty Shirt**  
**Female Short Sleeve Shirts – Medium Blue**

---

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy and brown shades to have Dacron lining.)
- Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole and one button at the neck.
- The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.
- Sleeves:** Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9-1/2" long from shoulder seam. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

**Female Short Sleeve Shirts****Page 2**

---

**Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The right front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

The right front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart. Buttons shall be securely attached to the left front to correspond to the buttonholes.

**Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

**Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

**Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non functional matching button and buttonhole sewn on the flap.

**Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

**Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

**Shoulder Straps:**

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

**Female Short Sleeve Shirts****Page 3**

---

**Permanent Creases:**

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

**Interlining:** Top center to be lined with Freudenburg interlining. Flaps to be EZ crease. Collar to be CK331. (Navy and brown shades to have Dacron lining in collar.)

**UPC Identification:**

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

**Labels:** Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

**Buttons:** All buttons shall be made from melamine material for durability and must match fabric.

**Pressing and Packing:**

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

**Code of Conduct:**

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

|              | <b>Finished Dimensions</b> |           |           |           |           |           |           |           |           |           |
|--------------|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| <u>Size:</u> | <u>30</u>                  | <u>32</u> | <u>34</u> | <u>36</u> | <u>38</u> | <u>40</u> | <u>42</u> | <u>44</u> | <u>46</u> | <u>48</u> |
| Bust:        | 38½                        | 39½       | 41        | 42½       | 44        | 45½       | 47½       | 49½       | 51½       | 53½       |
| Waist:       | 35½                        | 36½       | 38        | 39½       | 41        | 42½       | 44½       | 46½       | 48½       | 50½       |
| Back:        | 27½                        | 27½       | 28½       | 28½       | 28½       | 28½       | 28½       | 28½       | 29        | 29        |

**Note:** Navy shirts to be made to accommodate removable metal buttons throughout.

**Guilford EMS  
EMT TROUSER  
COLOR: Black**

**GENERAL REQUIREMENTS**

1. Failure to complete the compliance questions following each section below will result in automatic rejection of such bids as non-responsive.
2. All garment details not specifically described herein, tailoring, styling, construction, materials, and components must match the standard reference sample.
3. Pre-bid samples required at the time of the bid opening.
4. Samples may be subjected to laboratory testing at the discretion of the contracting officer. Bidders are responsible for all testing costs of their sample garments.
5. Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style. The successful bidder will provide a full size run of try-on garments within 10 days for agency approval.
6. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.
7. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1702)
8. Garments must be fade-resistant and offer stain protection.
9. Alterations will be the responsibility of the awarded Bidder and uniformity of alterations is required.

COMPLY:     YES     NO

**SHELL FABRIC**

10. 6.8 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend comfort technology and 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

COMPLY:     YES     NO

**TRIM**

11. Pocketing: reinforced on all sides.
12. Interlining: polyester non-woven.
13. Binding: polyester/cotton bias cut.
14. Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
15. Stretch edge control.
16. Fly zipper: nylon coil #5, auto lock slider, Prefer YKK brand.
17. Side Pocket Zipper: nylon coil #5
18. Hook and eyes: nickel-plated.
19. Buttons: melamine, 22 ligne, matching shell fabric.
20. Snaps: non-rusting, 20 ligne prong type, gunmetal finish on brass, heavy-duty closure.

COMPLY:     YES     NO

**DESIGN AND CONSTRUCTION**

21. Front quarter pockets, double section-side pockets with recessed zippered cargo compartment and external double section tool holders with snap tabs, and inverted double cord hip pockets with button tabs.
22. All pocket secured with bartacks.
23. Stretch waistband.
24. Interlined wide belt loops inserted in bottom of waistband and tacked at top; 1 ½ inch belt loops preferred.
25. Double hook and eye closure.

26. Quarter linings in front quarters.
27. Outlets in waistband (back) and thigh inseam.
28. Seat Seam will be minimum of a Tandem needle seam, reinforced in all seat areas.
29. Seat, inseam, and out seams pressed open.
30. 10-12 stitches per inch (all seams).
31. Permanent silicone adhesive creases, front and back.

COMPLY:  YES  NO

### CUSTOMIZATION

32. Hemming must be provided by awarded bidder and uniformity with all alterations is required

COMPLY:  YES  NO

### STANDARD SIZE RANGE

33. Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 37
34. Women's: Regular Length: even dress sizes 6 – 24

COMPLY:  YES  NO

### MEASUREMENTS

35. Men's: Regular Length: Waist Size 36:
  - a. 1/2 Waist: 18 (plus 0.25 inches)
  - b. Seat: 24 (plus or minus 0.25 inches)
  - c. 1/2 Knee: 11 1/4 (plus or minus 0.25 inches)
  - d. 1/2 Bottom Leg: 9 (plus or minus 0.25 inches)
  - e. Inseam: 37 (plus or minus 0.50 inches)
  - f. Out seam: 46 1/4 (plus or minus 0.50 inches)
  - g. Front Rise: 10 3/8 (plus or minus 0.25 inches)
  - h. Back Rise: 16 7/8 (plus or minus 0.25 inches)
36. Women's: Regular Length: Dress Size 12
  - i. 1/2 Waist: 16 1/4 (plus 0.25 inches)
  - j. Seat: 22 1/4 (plus or minus 0.25 inches)
  - k. 1/2 Knee: 10 1/4 (plus or minus 0.25 inches)
  - l. 1/2 Bottom Leg: 8 1/4 (plus or minus 0.25 inches)
  - m. Inseam: 35 7/8 (plus or minus 0.50 inches)
  - n. Out seam: 44 1/4 (plus or minus 0.50 inches)
  - o. Front Rise: 10 (plus or minus 0.25 inches)
  - p. Back Rise: 14 1/4 (plus or minus 0.25 inches)

COMPLY:  YES  NO

# Supplier Portal

[Home](#)   [Events](#)   [Contact Us](#)   [Help](#)

## Event Summary

[Back](#)

[Print](#)

Event # **573-1** Event Name **Uniforms for Emergency Medical Services**

[Summary](#)   
 [Questions](#)   
 [Terms And Conditions](#)   
 [Lines](#)   
 [Q And A Forum](#)   
 [Amendments](#)  
[Award Summary](#)

### Event Lines

[Show Search](#)

[Options...](#)

| Line # | Name                            | Commodity Code | Commodity Description                        | Quantity | UOM | Output Type | Requested Delivery Date | Attachments          | Questions            | Lowest Bid |
|--------|---------------------------------|----------------|--|----------|-----|-------------|-------------------------|----------------------|----------------------|------------|
| 1      | White Short Sleeve Shirt-Male   | 200-70         | Shirts, Dress and Casual                     | 100      | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 2      | White Long Sleeve Shirt Male    | 200-70         | Shirts, Dress and Casual                     | 50       | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 3      | Blue Short Sleeve Shirt Male    | 200-70         | Shirts, Dress and Casual                     | 200      | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 4      | Blue Long Sleeve Shirt Male     | 200-70         | Shirts, Dress and Casual                     | 50       | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 5      | White Long Sleeve Shirt Female  | 200-70         | Shirts, Dress and Casual                     | 50       | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 6      | White Short Sleeve Shirt Female | 200-70         | Shirts, Dress and Casual                     | 30       | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 7      | Blue Long Sleeve Shirt Female   | 200-70         | Shirts, Dress and Casual                     | 50       | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 8      | Blue Short Sleeve Female        | 200-70         | Shirts, Dress and Casual                     | 200      | EA  | Contract    |                         | <a href="#">View</a> |                      |            |
| 9      | EMT Trousers Male               | 200-44         | Pants, Slacks, Trousers, Shorts, Jeans, etc. | 225      | EA  | Contract    |                         | <a href="#">View</a> | <a href="#">View</a> |            |
| 10     | EMT Trousers Female             | 200-44         | Pants, Slacks, Trousers,                     | 150      | EA  | Contract    |                         |                      |                      |            |



ATTACHMENT A

| Line # | Name                     | Commodity Code | Commodity Description                        | Quantity | UOM | Output Type | Requested Delivery Date | Attachments | Questions | Lowest Bid |
|--------|--------------------------|----------------|--|----------|-----|-------------|-------------------------|-------------|-----------|------------|
|        |                          |                | Shorts, Jeans, etc.                          |          |     |             |                         |             |           |            |
| 12     | Oversize Shirts Male     | 200-70         | Shirts, Dress and Casual                     | 24       | EA  | Contract    |                         |             |           |            |
| 13     | Overrsized Shirt Female  | 200-70         | Shirts, Dress and Casual                     | 20       | EA  | Contract    |                         |             |           |            |
| 14     | Oversized Trousers Male  | 200-44         | Pants, Slacks, Trousers, Shorts, Jeans, etc. | 16       | EA  | Contract    |                         |             |           |            |
| 15     | Oversize Trousers Female | 200-70         | Shirts, Dress and Casual                     | 12       | EA  | Contract    |                         |             |           |            |

Page size:

Welcome [\[Login\]](#) [\[Register\]](#)

# Supplier Portal

[Home](#)   [Events](#)   [Contact Us](#)   [Help](#)

## Event Summary

[Back](#)

[Print](#)

Event # **573-1** Event Name **Uniforms for Emergency Medical Services**

[Summary](#)   [Questions](#)   [Terms And Conditions](#)   [Lines](#)   [Q And A Forum](#)  
[Amendments](#)   [Award Summary](#)

### Q and A Forum

**Open:** 05/30/2017  
01:30:00  
PM

**Close:** 06/08/2017  
05:00:00  
PM

**Date Received:** 06/08/2017  
04:50:38  
PM

**Date Answered:** 06/12/2017  
08:26:37  
AM

**Question:** Has dept purchased these items in the past. Who is last awarded vendor? What price been paying for each item? # of patches to be sewn on each shirt / jacket? Will dept supply patches to vendor? Does Alternate Items No Allowed mean Brand Specific NO subs

**Answer:** 1. Has dept purchased these items in the past.? (Yes)  
2. Who is last awarded vendor? – (Streichers SP, Inc)  
3. What price been paying for each item? (Please see attachments)  
4. # of patches to be sewn on each shirt / jacket? (One patch on each item, on left sleeve.)  
5. Will dept supply patches to vendor? (We do supply the patches and the patches remain our property).  
6. Does Alternate Items No Allowed mean Brand Specific NO subs?  
(Brand is specific, no substitutes. Pants are 511, shirts are Elbeco. Model numbers for each are included in the bid specs)

Welcome [\[Login\]](#) [\[Register\]](#)

# Supplier Portal

[Home](#)   [Events](#)   [Contact Us](#)   [Help](#)

## Event Summary

[Back](#)[Print](#)Event # **573-1** Event Name **Uniforms for Emergency Medical Services**[Summary](#)   [Questions](#)   [Terms And Conditions](#)   [Lines](#)   [Q And A Forum](#)  
[Amendments](#)   [Award Summary](#)

## Event Questions

[Collapse All](#)

### \* Questions That Require A Response

- \* Upon request are you willing to return all signed and notarized documents and affidavits attached to this bidding event?
- \* Do you have the legal and binding authority to enter into a contract with Guilford County on behalf of your corporation or organization?
- \* From the date of Notification Of Award, how many calendar days will it take to deliver the items requested or provide the service?
- \* Do you have an apparel alteration employed and housed within the vendor facility?
- \* If you have not done business with Guilford County, North Carolina within the last twelve months, you must provide three references with whom you have done similar work within the last three years, who can vouch for the quality of your work. Please indicate their company name, contact person, address, phone number and email address for verification. If you have done business with Guilford County within the last twelve months, please so indicate, and provide the dates and nature of your work.
- \* Do you have a store front located in Guilford County? If no, please describe where?
- \* Do you understand that although clothing samples are not required at the time of bid submission, they

may be required upon request from the Emergency Services Department.

\* Do you comply with the packing standards of all the garments listed in this bid?

\* Do comply with the standard code of conduct for all garments listed in this bid?

\* Are you willing to submit, upon request, a completed Code of Conduct document verifying acceptable working conditions to include the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines?

**Note: line questions also exist that require a response**

Welcome [\[Login\]](#) [\[Register\]](#)

# Supplier Portal

[Home](#)   [Events](#)   [Contact Us](#)   [Help](#)[Back](#)

## Line Questions

[Collapse All](#)

### \* Questions That Require A Response

- \* Do you comply with the General Requirements as listed in the specifications for the EMT Trousers?
- \* Do you comply with the Shell Fabric as listed in the specifications for the EMT Trousers?
- \* Do you comply with the Trim as listed in the specifications for the EMT Trousers?
- \* Do you comply with the Design and Construction as listed in the specifications for the EMT Trousers?
- \* Do you comply with the Customization as listed in the specifications for the EMT Trousers?
- \* Do you comply with the Standard Size Range as listed in the specifications for the EMT Trousers?
- \* Do you comply with the Measurements as listed in the specifications for the EMT Trousers?

Welcome [\[Login\]](#) [\[Register\]](#)

# Supplier Portal

[Home](#) [Events](#) [Contact Us](#) [Help](#)

## Event Summary

[Back](#)[Print](#)Event # **573-1** Event Name **Uniforms for Emergency Medical Services**[Summary](#) [Questions](#) [Terms And Conditions](#) [Lines](#) [Q And A Forum](#)  
[Amendments](#) [Award Summary](#)

### Amendments

[Collapse All](#)

#### Amendments To This Event

| Version Number | Version Date           | Comment                      |
|----------------|------------------------|------------------------------|
| 1              | 06/12/2017 08:45:08 AM | Price list from previous bid |

## Compare Responses

Event #: 350

Event Name: Uniforms for Emergency  
Medical Services

Number Of Lines: 16

Status: Closed

|  |   |
|--|---|
| Performance Evaluation Score                                     | Streicher's<br>Richard Seitz<br>0.00                                  |
| Supplier Total Bid Amount  | (award all valid only when output is same for all lines)<br>58,225.85 |
| Total Event Score  | 0.00  |
| <b>Line 1: Awarded: WHITE SHORT SLEEVE MALE Output: Contract</b> |   |
| Award Quantity   | 100.0000  |
| Line Quantity  | 100.0000 EA   |
| Unit price   | 41.50000  |
| Extended price   | 4,150.00  |
| AOC  |   |
| Total bid  | 4,150.00  |
| Net unit price   | 41.50000  |
| Total Line Score   | 0.00  |
| Delivery Date  |   |
| UOM Detail   |   |
| Vendor Item  | STR-MSS.W   |
| Vendor Item Description  | Male, White, Short Sleeve   |

Compare Responses continued...

|   |   |
|---|---|
| <p><b>Line 2: Awarded: WHITE LONG SLEEVE MALE Output: Contract</b></p> <p>Award Quantity 50.00000</p> <p>Line Quantity 50.00000 EA</p> <p>Unit price 45.50000</p> <p>Extended price 2,275.00</p> <p>AOC</p> <p>Total bid 2,275.00</p> <p>Net unit price 45.50000</p> <p>Total Line Score 0.00</p> <p>Delivery Date</p> <p>UOM Detail</p> <p>Vendor Item STR-MLS.W</p> <p>Vendor Item Description Male, White, Long Sleeve</p> | <p><b>Line 3: Awarded: BLUE SHORT SLEEVE MALE Output: Contract</b></p> <p>Award Quantity 200.00000</p> <p>Line Quantity 200.00000 EA</p> <p>Unit price 41.50000</p> <p>Extended price 8,300.00</p> <p>AOC</p> <p>Total bid 8,300.00</p> <p>Net unit price 41.50000</p> <p>Total Line Score 0.00</p> |
|---|---|



Compare Responses continued...

|   |  |
|---|--|
| <b>Delivery Date</b><br><b>UOM Detail</b><br><b>Vendor Item</b><br><b>Vendor Item Description</b>   | <p style="text-align: center;">STR-MSS.B<br/>Male, Blue, Short Sleeve</p>  |
| <b>Line 4: Awarded: BLUE Output: Contract</b><br><b>Award Quantity 50.0000</b><br><b>Line Quantity 50.0000 EA</b><br><b>Unit price</b><br><b>Extended price</b><br><b>AOC</b><br><b>Total bid</b><br><b>Net unit price</b><br><b>Total Line Score</b> | <p style="text-align: center;">50.0000<br/>50.0000<br/>45.50000<br/>2,275.00<br/><br/>2,275.00<br/>45.50000<br/>0.00</p> |
| <b>Delivery Date</b><br><b>UOM Detail</b><br><b>Vendor Item</b><br><b>Vendor Item Description</b>   | <p style="text-align: center;">STR-MLS.B<br/>Male, Blue, Long Sleeve</p>   |
| <b>Line 5: Awarded: WHITE LONG SLEEVE FEMALE Output: Contract</b><br><b>Award Quantity 50.0000</b><br><b>Line Quantity 50.0000 EA</b><br><b>Unit price</b><br><b>Extended price</b>   | <p style="text-align: center;">50.0000<br/>50.0000<br/>45.50000<br/>2,275.00</p>   |

Compare Responses continued...

|   |  |
|---|--|
| <p><b>AOC</b></p> <p><b>Total bid</b> 2,275.00</p> <p><b>Net unit price</b> 45.50000</p> <p><b>Total Line Score</b> 0.00</p><br><p><b>Delivery Date</b></p> <p><b>UOM Detail</b></p> <p><b>Vendor Item</b> STR-FLS.W</p> <p><b>Vendor Item Description</b> Female, White, Long Sleeve</p> | <p><b>AOC</b></p> <p><b>Total bid</b> 4,150.00</p> <p><b>Net unit price</b> 41.50000</p> <p><b>Total Line Score</b> 0.00</p><br><p><b>Delivery Date</b></p> <p><b>UOM Detail</b></p> <p><b>Vendor Item</b> STR-FSS.W</p> <p><b>Vendor Item Description</b> Female, White, Short Sleeve</p> |
| <p><b>Line 6: Awarded: WHITE SHORT SLEEVE FEMALE Output: Contract</b></p> <p><b>Award Quantity</b> 100.00000</p> <p><b>Line Quantity</b> 100.00000 EA</p> <p><b>Unit price</b> 41.50000</p> <p><b>Extended price</b> 4,150.00</p>   |  |

Compare Responses continued...

|   |   |
|---|---|
| <p><b>Line 7: Awarded: BLUE LONG SLEEVE FEMALE Output: Contract</b></p> <p>Award Quantity 50.0000</p> <p>Line Quantity 50.0000 EA</p> <p>Unit price 45.50000</p> <p>Extended price 2,275.00</p> <p>AOC</p> <p>Total bid 2,275.00</p> <p>Net unit price 45.50000</p> <p>Total Line Score 0.00</p> <p>Delivery Date</p> <p>UOM Detail</p> <p>Vendor Item</p> <p>Vendor Item Description</p> | <p>50.0000</p> <p>50.0000</p> <p>45.50000</p> <p>2,275.00</p> <p>2,275.00</p> <p>45.50000</p> <p>0.00</p> <p>STR-FLS.B</p> <p>Female, Blue, Long Sleeve</p> |
| <p><b>Line 8: Awarded: BLUE SHORT SLEEVE FEMALE Output: Contract</b></p> <p>Award Quantity 100.0000</p> <p>Line Quantity 100.0000 EA</p> <p>Unit price 41.50000</p> <p>Extended price 4,150.00</p> <p>AOC</p> <p>Total bid 4,150.00</p> <p>Net unit price 41.50000</p> <p>Total Line Score 0.00</p> <p>Delivery Date</p>  | <p>100.0000</p> <p>100.0000</p> <p>41.50000</p> <p>4,150.00</p> <p>4,150.00</p> <p>41.50000</p> <p>0.00</p>   |

Compare Responses continued...

|  |   |
|--|---|
| <p><b>UOM Detail</b><br/> <b>Vendor Item</b><br/> <b>Vendor Item Description</b></p>   | <p>STR-FSS.B<br/>                 Female, Blue, Short Sleeve</p>  |
| <p><b>Line 9: Awarded: EMT TROUSER MALE Output: Contract</b><br/>                 Award Quantity 225.0000<br/>                 Line Quantity 225.0000 EA<br/>                 Unit price<br/>                 Extended price<br/>                 AOC<br/>                 Total bid<br/>                 Net unit price<br/>                 Total Line Score</p> | <p>225.0000<br/>                 225.0000<br/>                 49.99000<br/>                 11,247.75<br/> <br/>                 11,247.75<br/>                 49.99000<br/>                 0.00</p> |
| <p><b>Delivery Date</b><br/> <b>UOM Detail</b><br/> <b>Vendor Item</b><br/> <b>Vendor Item Description</b></p>   | <p>RR-74310K<br/>                 5.11 EMS Trousers, Male, Black</p>  |
| <p><b>Line 10: Awarded: EMT TROUSERS FEMALE Output: Contract</b><br/>                 Award Quantity 150.0000<br/>                 Line Quantity 150.0000 EA<br/>                 Unit price<br/>                 Extended price<br/>                 AOC</p>  | <p>150.0000<br/>                 150.0000<br/>                 49.99000<br/>                 7,498.50</p>   |

Compare Responses continued...

|  |   |
|--|---|
| <p>Total bid<br/> Net unit price<br/> Total Line Score</p>   | <p>7,498.50<br/> 49,99000<br/> 0.00</p>   |
| <p>Delivery Date<br/> UOM Detail<br/> Vendor Item<br/> Vendor Item Description</p>   | <p>RR-64301K<br/> 5.11 EMS Trouser, Female Black</p>  |
| <p>Line 11: Awarded: EMT JACKET Output: Contract<br/> Award Quantity 40.00000<br/> Line Quantity 40.00000 EA<br/> Unit price<br/> Extended price<br/> AOC<br/> Total bid<br/> Net unit price<br/> Total Line Score</p> | <p>40.00000<br/> 40.00000<br/> 239,990000<br/> 9,599.60<br/> <br/> 9,599.60<br/> 239,990000<br/> 0.00</p> |
| <p>Delivery Date<br/> UOM Detail<br/> Vendor Item<br/> Vendor Item Description</p>   | <p>RR-48063K<br/> 5.11 Responder Parka</p>  |
| <p>Line 12: Awarded: OVERSIZED MALE SHIRT Output: Contract</p>   |   |

Compare Responses continued...

|   |                             |
|---|-----------------------------|
| Award Quantity 1.0000                                     | 1.0000                      |
| Line Quantity 1.0000 EA                                   | 1.0000                      |
| Unit price  | 5.00000                     |
| Extended price  | 5.00                        |
| AOC   |                             |
| Total bid   | 5.00                        |
| Net unit price  | 5.00000                     |
| Total Line Score  | 0.00                        |
| Delivery Date   |                             |
| UOM Detail  |                             |
| Vendor Item   | OS.SHIRT                    |
| Vendor Item Description                                   | Oversize Charge, Male Shirt |
| Line 13: Awarded: OVERSIZED SHIRT FEMALE Output: Contract |                             |
| Award Quantity 1.0000                                     | 1.0000                      |
| Line Quantity 1.0000 EA                                   | 1.0000                      |
| Unit price  | 5.00000                     |
| Extended price  | 5.00                        |
| AOC   |                             |
| Total bid   | 5.00                        |
| Net unit price  | 5.00000                     |
| Total Line Score  | 0.00                        |
| Delivery Date   |                             |
| UOM Detail  |                             |

Compare Responses continued...

| Vendor Item<br>Vendor Item Description                            | STR-OS.SHIRT<br>Oversize Charge, Female Shirt |
|---|---|
| <b>Line 14:Awarded:OVERSIZE TROUSERS MALE Output: Contract</b>    |   |
| Award Quantity 1.0000   | 1.0000  |
| Line Quantity 1.0000 EA   | 1.0000  |
| Unit price  | 5.00000                                       |
| Extended price  | 5.00  |
| AOC   |   |
| Total bid   | 5.00  |
| Net unit price  | 5.00000                                       |
| Total Line Score  | 0.00  |
| Delivery Date   |   |
| UOM Detail  |   |
| Vendor Item   | STR OS PANTS                                  |
| Vendor Item Description   | Oversize Charge, Male Pants                   |
| <b>Line 15:Awarded:OVERSIZED TROUSERS FEMALE Output: Contract</b> |   |
| Award Quantity 1.0000   | 1.0000  |
| Line Quantity 1.0000 EA   | 1.0000  |
| Unit price  | 5.00000                                       |
| Extended price  | 5.00  |
| AOC   |   |
| Total bid   | 5.00  |

Compare Responses continued...

|   |   |
|---|---|
| <p><b>Net unit price</b></p> <p><b>Total Line Score</b></p> <p><b>Delivery Date</b></p> <p><b>UOM Detail</b></p> <p><b>Vendor Item</b></p> <p><b>Vendor Item Description</b></p>  | <p>5.00000</p> <p>0.00</p> <p>STR PANTIS</p> <p>Oversize Charge, Female Pants</p>   |
| <p><b>Line 16: Awarded: OVERSIZE JACKET Output: Contract</b></p> <p><b>Award Quantity 1.0000</b></p> <p><b>Line Quantity 1.0000 EA</b></p> <p><b>Unit price</b></p> <p><b>Extended price</b></p> <p><b>AOC</b></p> <p><b>Total bid</b></p> <p><b>Net unit price</b></p> <p><b>Total Line Score</b></p> <p><b>Delivery Date</b></p> <p><b>UOM Detail</b></p> <p><b>Vendor Item</b></p> <p><b>Vendor Item Description</b></p> | <p>1.0000</p> <p>1.0000</p> <p>10.00000</p> <p>10.00</p> <p>10.00</p> <p>10.00000</p> <p>0.00</p> <p>STR-OS.JACKET</p> <p>Oversize Charge, Jacket</p> |



# Supplier Portal

[Home](#)   [Events](#)   [Contact Us](#)   [Help](#)

## Event Summary

[Back](#)

[Print](#)

Event # **573-1** Event Name **Uniforms for Emergency Medical Services**

[Summary](#)   [Questions](#)   [Terms And Conditions](#)   [Lines](#)   [Q And A Forum](#)  
[Amendments](#)   [Award Summary](#)

### Award

[Collapse All](#)

#### Awarded Lines

##### Event Line: 1

**Item:** WHITE  
SHORT  
SLEEVE  
MALE

**Description:** White  
Short  
Sleeve  
Shirt

**Commodity Code Description:** Shirts, Dress and Casual

**Quantity:** 100

**UOM:** EA

##### Awarded To: Streicher's

**Vendor Item:** ELB-  
5580

**Description:** Shirt: Duty  
Maxx, S/S,  
White,

**Quantity:** 100.0000

**Unit Price:** 44.50000

**No Charge:** No

**Extended Price:** 4,450.00

**Award Amount:** 4,450.00

##### Event Line: 2

**Item:** WHITE  
LONG

**Description:** White  
Long

ATTACHMENT B

SLEEVE  
MALESleeve  
Shirt**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 50**UOM:** EA**Awarded To: Streicher's****Vendor Item:** ELB-  
580**Description:** Shirt: Duty  
Maxx, L/S,  
White,**Quantity:** 50.0000**Unit Price:** 48.50000**No Charge:** No**Extended Price:** 2,425.00**Award Amount:** 2,425.00**Event Line: 3****Item:** BLUE  
SHORT  
SLEEVE  
MALE**Description:** Blue  
Short  
Sleeve  
Male**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 200**UOM:** EA**Awarded To: Streicher's****Vendor Item:** ELB-  
5586**Description:** Shirt: Duty  
Maxx, S/S,  
Med Blu**Quantity:** 200.0000**Unit Price:** 44.50000**No Charge:** No**Extended Price:** 8,900.00**Award Amount:** 8,900.00**Event Line: 4****Item:** BLUE**Description:** Blue Long Sleeve  
Male**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 50**UOM:** EA

ATTACHMENT B

**Awarded To: Streicher's****Vendor Item:** ELB-  
586**Description:** Shirt: Duty  
Maxx, L/S,  
Medi Bl**Quantity:** 50.0000**Unit Price:** 48.50000**No Charge:** No**Extended Price:** 2,425.00**Award Amount:** 2,425.00**Event Line: 5****Item:** WHITE  
LONG  
SLEEVE  
FEMALE**Description:** White  
Long  
Sleeve  
Female**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 50**UOM:** EA**Awarded To: Streicher's****Vendor Item:** ELB-  
9580**Description:** Shirt: Duty  
Maxx Women's,  
L/S,**Quantity:** 50.0000**Unit Price:** 48.50000**No Charge:** No**Extended Price:** 2,425.00**Award Amount:** 2,425.00**Event Line: 6****Item:** WHITE  
SHORT  
SLEEVE  
FEMALE**Description:** White  
Short  
Sleeve  
Female**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 30**UOM:** EA**Awarded To: Streicher's****Vendor Item:** ELB-  
9780**Description:** Shirt: Duty  
Maxx Women's,  
S/S,

ATTACHMENT B

**Quantity:** 30.0000**Unit Price:** 44.50000**No Charge:** No**Extended Price:** 1,335.00**Award Amount:** 1,335.00**Event Line: 7****Item:** BLUE  
LONG  
SLEEVE  
FEMALE**Description:** Blue long  
sleeve shirt  
female**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 50**UOM:** EA**Awarded To: Streicher's****Vendor Item:** ELB-  
9586**Description:** Shirt: Duty  
Maxx Women's,  
L/S,**Quantity:** 50.0000**Unit Price:** 48.50000**No Charge:** No**Extended Price:** 2,425.00**Award Amount:** 2,425.00**Event Line: 8****Item:** BLUE  
SHORT  
SLEEVE  
FEMALE**Description:** blue short  
sleeve shirt  
female**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 200**UOM:** EA**Awarded To: Streicher's****Vendor Item:** ELB-  
9786**Description:** Shirt: Duty  
Maxx Women's,  
S/S,**Quantity:** 200.0000**Unit Price:** 44.50000**No Charge:** No**Extended Price:** 8,900.00

ATTACHMENT B

**Award Amount: 8,900.00**

**Event Line: 9**

**Item:** EMT  
TROUSER  
MALE

**Description:** EMT  
Trouser  
Male

**Commodity Code Description:** Pants, Slacks, Trousers, Shorts, Jeans, etc.

**Quantity:** 225

**UOM:** EA

**Awarded To: Streicher's**

**Vendor Item:** RR74310K

**Description:** EMS  
Pant:  
Black

**Quantity:** 225.0000

**Unit Price:** 51.99000

**No Charge:** No

**Extended Price:** 11,697.75

**Award Amount:** 11,697.75

**Event Line: 10**

**Item:** EMT  
TROUSERS  
FEMALE

**Description:** EMT  
Trouser  
Female

**Commodity Code Description:** Pants, Slacks, Trousers, Shorts, Jeans, etc.

**Quantity:** 150

**UOM:** EA

**Awarded To: Streicher's**

**Vendor Item:** RR64301K.

**Description:** EMS Pant:  
Women's,  
Black

**Quantity:** 150.0000

**Unit Price:** 51.99000

**No Charge:** No

**Extended Price:** 7,798.50

**Award Amount:** 7,798.50

**Event Line: 12**

ATTACHMENT B

**Item:** OVERSIZED  
MALE  
SHIRT

**Description:** Oversized  
Male  
Shirt

**Commodity Code Description:** Shirts, Dress and Casual

**Quantity:** 24

**UOM:** EA

**Awarded To:** Streicher's

**Vendor Item:** ELB-5

**Description:** Shirt: Duty  
Maxx, S/S OR  
L/S

**Quantity:** 24.0000

**Unit Price:** 44.50000

**No Charge:** No

**Extended Price:** 1,068.00

**Award Amount:** 1,068.00

**Event Line:** 13

**Item:** OVERSIZED  
SHIRT  
FEMALE

**Description:** Oversized  
Female  
Shirt

**Commodity Code Description:** Shirts, Dress and Casual

**Quantity:** 20

**UOM:** EA

**Awarded To:** Streicher's

**Vendor Item:** ELB-9

**Description:** Shirt: Duty  
Maxx Women's,

**Quantity:** 20.0000

**Unit Price:** 44.50000

**No Charge:** No

**Extended Price:** 890.00

**Award Amount:** 890.00

**Event Line:** 14

**Item:** OVERSIZE  
TROUSERS  
MALE

**Description:** Oversized  
Trousers  
Male

**Commodity Code Description:** Pants, Slacks, Trousers, Shorts, Jeans, etc.

**Quantity:** 16

**UOM:** EA

**Awarded To: Streicher's****Vendor Item:** RR-  
74310K.**Description:** EMS  
Pant:  
Black,**Quantity:** 16.0000**Unit Price:** 51.99000      **No Charge:** No      **Extended Price:** 831.84**Award Amount:** 831.84**Event Line: 15****Item:** OVERSIZED  
TROUSERS  
FEMALE**Description:** Oversized  
trousers  
female**Commodity Code Description:** Shirts, Dress and Casual**Quantity:** 12**UOM:** EA**Awarded To: Streicher's****Vendor Item:** RR-  
64301K.**Description:** EMS Pant:  
Women's,  
Black,**Quantity:** 12.0000**Unit Price:** 51.99000      **No Charge:** No      **Extended Price:** 623.88**Award Amount:** 623.88



CLASSIC FIT

## EMS PANT & EMS SHORT



Our popular EMS Pant and Short are engineered with features, comfort, and performance you won't find anywhere else. Available in a polyester/cotton twill or our Taclite ripstop, treated with Teflon® finish for stain and soil resistance, the EMS Pant and Short feature compartmentalized cargo pockets, secondary cargo pockets at the calf, and double-time belt loops for enhanced accessory anchorage. The reinforced knees accept kneepads, and a self-adjusting waist and gusseted construction ensure comfort and mobility. It's an unbeatable setup. UPF 50. Imported.

**74363 Men's Taclite EMS Pants** | Black 019, Dark Navy 724 | 28-44 even, even inseams 30-36 or unhemmed in waist sizes 46-54 (74363L \$68.99) | **\$59.99**

**74310 Men's EMS Pants** | Black 019, Dark Navy 724 | 28-44 even, even inseams 30-36 or unhemmed in waist sizes 46-54 even (74310L \$68.99) | **\$59.99**

**64369 Women's Taclite EMS Pants** | Black 019, Dark Navy 724 | 2-20 even (Inseams: Regular: 31", Long: 35") | **\$59.99**

**64301 Women's EMS Pants** | Black 019, Dark Navy 724 | 2-20 even (Inseams: Regular: 31", Long: 35") | **\$59.99**

**73309 Men's Taclite EMS Shorts** | Dark Navy 724 | 28-54, 11" inseam (46-54 \$63.99) | **\$54.99**

BLACK 019

DARK NAVY 724



REINFORCED ZONES



HIGH BARTACK COUNT

## STATION SHIRT

Built from 100% cotton, the 5.11® Station Shirt is available in A-Class or B-Class. Fade-, shrink-, and wrinkle-resistant, the shirt features permanent stitched creases and durable melamine buttons. The B-Class shirt includes patented document pockets at the chest. Imported.

**46122 Men's A-Class Short-Sleeve Station Shirt** | White 010, Med Blue 696, Fire Navy 720 | S-3XL, L-3XL Tall in Fire Navy Only (3XL, L-3XL Tall \$57.99) | **\$49.99**

**46123 Men's A-Class Long-Sleeve Station Shirt** | Tall, Fire Navy 720 | S-3XL, L-3XL Tall in Fire Navy Only (3XL, L-3XL Tall \$57.99) | **\$49.99**

**46124 Men's B-Class Short-Sleeve Station Shirt** | Fire Navy 720 | S-3XL, L-3XL Tall in Fire Navy Only (3XL, L-3XL Tall \$57.99) | **\$49.99**

**46125 Men's B-Class Long-Sleeve Station Shirt** | Fire Navy 720 | S-3XL, L-3XL Tall in Fire Navy Only (3XL, L-3XL Tall \$57.99) | **\$49.99**

WHITE 010

MEDIUM BLUE 696

FIRE NAVY 720



INSPECTION READY



DOCUMENT READY

## COMPANY PANT

Constructed from 100% cotton twill, the Company Pant is fade-, shrink-, and wrinkle-resistant. A self-adjusting tunnel waistband and gusseted construction provide comfort and mobility, all in a clean, professional profile. Reinforced belt loops offer plenty of support for mission-critical gear. UPF 50. Imported.

**74398 Company Pant** | Fire Navy 720 | 28-44 even, 30-36 even inseams, 46-54 even unhemmed (74398L \$57.99) | **\$49.99**

**74399 Company Cargo Pant** | Fire Navy 720 | 28-44 even, 30-36 even inseams, 46-54 even unhemmed (74399L \$63.99) | **\$57.99**

FIRE NAVY 720



INSPECTION READY



REINFORCED ZONES



**SIZING INSTRUCTIONS**

Measure your body (with measuring tape, not over clothing) and use to the chart to find your size. If you fall between sizes, order the smaller size for a tighter fit or go a size up for a looser fit.

**Men:** Use your chest, arm length, and neck measurements to determine the proper size for tops, outerwear, or jumpsuits. Use your waist measurement (where you wear your pants) for bottoms.

**Women:** Refer to your chest measurement to determine the proper size for tops and outerwear. Use your waist (smallest part) and hip measurements for bottoms. Use your waist measurement (where you wear your pants) for belts.

**PRODUCT DETAILS, PRICES, AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.**

**5.11 Warranties:** All of our products are backed by a limited warranty. Visit [www.511Tactical.com/customer-service/warranty](http://www.511Tactical.com/customer-service/warranty) for details.

**Returns and Exchanges:** Visit [www.511Tactical.com/customer-service/return-policy/](http://www.511Tactical.com/customer-service/return-policy/) for how to return products.

**Notice Regarding Knives:** The purchase, possession, and use of knives are subject to a variety of federal, state, and local laws. To make sure you're in local compliance, visit [www.511Tactical.com/customer-service/disclaimers](http://www.511Tactical.com/customer-service/disclaimers).

**5.11 TOPS FIT INFORMATION**

| COMPRESSION FIT           | FITTED                                | REGULAR FIT  | CLASSIC FIT  |
|---------------------------|---------------------------------------|--|--|
| A tight, compressive fit. | A body skimming fit. Non-compressive. | A comfortable, professional fit. Neither slim nor oversized. | A full, generous fit allowing superior range of motion |

**MEN'S BODY MEASUREMENTS**

| Alpha Size  | XS            | S         | M             | L         | XL            | 2XL       | 3XL           | 4XL       | 5XL           | 6XL       |
|-------------|---------------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|
| Neck        | 13-13 1/2     | 14-14 1/2 | 15-15 1/2     | 16-16 1/2 | 17-17 1/2     | 18-18 1/2 | 19-19 1/2     | 20-20 1/2 | 21-21 1/2     | 22-22 1/2 |
| Chest       | 30-32         | 34-36     | 38-40         | 42-44     | 46-48         | 50-52     | 54-56         | 58-60     | 62-64         | 66-68     |
| Arm Length* | 32 1/4-32 3/4 | 33-33 1/2 | 33 3/4-34 1/4 | 34 1/2-35 | 35 1/4-35 3/4 | 36-36 1/2 | 36 3/4-37 1/4 | 37 1/2-38 | 38 1/4-38 3/4 | 39-39 1/2 |
| Waist       | 24-26         | 28-30     | 32-34         | 36-38     | 40-42         | 44-46     | 48-50         | 52-54     | 56-58         | 60-62     |

Short = 5'3-5'7 1/2, Regular = 5'8 - 6' 1/2, Tall = 6'1 - 6'3, Tall sizes have 2" added to body and sleeve length. \*Arm length refers to your actual arm length, not the garment's sleeve length.

**WOMEN'S BODY MEASUREMENTS**

| Alpha Size   | X-Small | Small  | Medium | Large  | X-Large |
|--------------|---------|--------|--------|--------|---------|
| Numeric Size | 2       | 4      | 6      | 8      | 10      |
| Chest        | 32 1/2  | 33 1/2 | 34 1/2 | 35 1/2 | 36 1/2  |
| Arm Length*  | 29 3/4  | 30 1/4 | 30 1/2 | 31     | 31 1/4  |
| Waist        | 25      | 26     | 27     | 28     | 29      |
| Hip          | 35 1/2  | 36 1/2 | 37 1/2 | 38 1/2 | 39 1/2  |

Regular = 5'5 - 5'7, Tall = 5'8 - 5'11, Tall sizes have 2" added to body length and 1 1/2" added to sleeve length.

\*Arm length refers to your actual arm length, not the garment's sleeve length.

**MEN'S FOOTWEAR SIZE CONVERSIONS**

| US Size | 5      | 6      | 6 1/2 | 7  | 7 1/2  | 8  | 8 1/2 | 9      | 9 1/2 | 10 | 10 1/2 | 11 | 11 1/2 | 12 | 13     | 14     | 15     |
|---------|--------|--------|-------|----|--------|----|-------|--------|-------|----|--------|----|--------|----|--------|--------|--------|
| UK Size | 4      | 5      | 5 1/2 | 6  | 6 1/2  | 7  | 7 1/2 | 8      | 8 1/2 | 9  | 9 1/2  | 10 | 10 1/2 | 11 | 12     | 13     | 14     |
| EU Size | 37 1/2 | 38 1/2 | 39    | 40 | 40 1/2 | 41 | 42    | 42 1/2 | 43    | 44 | 44 1/2 | 45 | 45 1/2 | 46 | 47 1/2 | 48 1/2 | 49 1/2 |

Wide available in US Sizes 7-12, 13

**WOMEN'S FOOTWEAR SIZE CONVERSIONS**

| US Size | 5  | 6      | 6 1/2 | 7      | 7 1/2 | 8     | 8 1/2  | 9     | 9 1/2 | 10     |
|---------|----|--------|-------|--------|-------|-------|--------|-------|-------|--------|
| UK Size | 4  | 4 1/2  | 5     | 5 1/2  | 6     | 6 1/2 | 7      | 7 1/2 | 8     | 8 1/2  |
| EU Size | 37 | 37 1/2 | 38    | 38 1/2 | 39    | 40    | 40 1/2 | 41    | 42    | 42 1/2 |

**MEN'S BELT SIZING**

| Alpha Size | S     | M     | L     | XL    | 2XL   | 3XL   | 4XL   |
|------------|-------|-------|-------|-------|-------|-------|-------|
| Waist Size | 28-30 | 32-34 | 36-38 | 40-42 | 44-46 | 48-50 | 52-54 |

**GLOVE SIZING**

| Unisex Size | S    | M    | L     | XL    | 2XL   |
|-------------|------|------|-------|-------|-------|
| Men's       | 78mm | 90mm | 103mm | 114mm | 127mm |
| EU Size     | 71mm | 83mm | 96mm  | -     | -     |

Measure across the palm of your hand from where your thumb and index meet.

**HAT SIZING**

| Hat Size | Measurement       | A-Flex | One Size           |
|----------|-------------------|--------|--------------------|
| 7        | 22" / 55.8 cm     | -      | One Size Fits Most |
| 7 1/8    | 22 3/8" / 56.8 cm | M/L    |                    |
| 7 1/4    | 22 3/4" / 57.7 cm | -      |                    |
| 7 3/8    | 23 1/8" / 58.7 cm | -      |                    |
| 7 1/2    | 23 1/2" / 59.6 cm | -      | L/XL               |
| 7 5/8    | 23 7/8" / 60.6 cm | -      |                    |
| 7 3/4    | 24 1/4" / 61.5 cm | -      | -                  |
| 7 7/8    | 24 5/8" / 62.5 cm | -      | -                  |

**Trademarks:** The following are trademarks of their respective owners: Teflon®, YKK®, Prym®, MultiCam®, VELCRO®, VTAC®, Viking Tactics®, Blade-Tech®, Ironclad®, Storm Cotton®, 3M®, Scotchlite®, Nomex®, Duraclad®, Kevlar®, Breathoprene®, Molle-Lok®, iPhone®, Apple®, Facebook®, YouTube®, OrthoLite®, NanoGLIDE®, TransDRY®, eVent®, HELCOR®, AustriAlpin®, Realtree®, Duraflex®, Wiley X®